Hazardous Material Inventory - Pioneer CTD samples

10/30/2014

Chemical	formula	quantity	conc.	Spill response
Liquid nitrogen	N2	20 liters	100%	ventilate
Manganese Chloride	MnCl2	3 liters	60%	dilute & absorb
Mercuric Chloride	HgCl2	500 ml	99%	absorb
Potassium Iodate	KIO3	3 liters	1%	absorb
Sodium Iodide	Nal	3 liters	60%	absorb
Sodium Thiosulfate	Na2S2O3	15 g	10%	dilute & absorb
Sulfuric Acid	H2SO4	3 liters	28%	dilute & absorb



Safety Data Sheet P-4630

Making our planet more productive" according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 01/01/1979 Revision date: 10/03/2014 Supersedes: 12/01/2013

SECTION: 1. Product and company	
1.1. Product identifier	
Product form	: Substance
Name	: Nitrogen, Refrigerated Liquid
CAS No	: 7727-37-9
Formula	: N2
Other means of identification	: Nitrogen (cryogenic liquid), Nitrogen, Medipure Liquid Nitrogen
1.2. Relevant identified uses of the su	bstance or mixture and uses advised against
Use of the substance/mixture	: Medical applications. Industrial use Food applications.
1.3. Details of the supplier of the safet	ty data sheet
Praxair, Inc. 39 Old Ridgebury Road Danbury, CT 06810-5113 - USA T 1-800-772-9247 (1-800-PRAXAIR) - F 1-716 www.praxair.com	6-879-2146
1.4. Emergency telephone number	
Emergency number	: Onsite Emergencies: 1-800-645-4633 CHEMTREC: USA 1-800-424-9300, International 001-703-527-3887 (Collect calls accepted, contract 17729)
SECTION 2: Hazards identification	
2.1. Classification of the substance or	r mixture
Classification (GHS-US)	
Refrigerated liquefied gas H281 Full text of H-phrases: see section 16	
Classification (GHS-US) Refrigerated liquefied gas Hull text of H-phrases: see section 16 2.2. Label elements	
Refrigerated liquefied gas H281 Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	
Refrigerated liquefied gas H281 Full text of H-phrases: see section 16 2.2. Label elements	:
Refrigerated liquefied gas H281 Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	: GHS04 : Warning
Refrigerated liquefied gas H281 Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	
Refrigerated liquefied gas H281 Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	:Warning :H281 - CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY
Refrigerated liquefied gas H281 Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 Warning H281 - CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY OSHA-H01 - MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. P202 - Do not handle until all safety precautions have been read and understood P271+P403 - Use and store only outdoors or in a well-ventilated place. P282 - Wear cold insulating gloves, face shield, eye protection CGA-PG05 - Use a back flow preventive device in the piping. CGA-PG24 - DO NOT change or force fit connections. CGA-PG06 - Close valve after each use and when empty.
Refrigerated liquefied gas H281 Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US)	 Warning H281 - CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY OSHA-H01 - MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. P202 - Do not handle until all safety precautions have been read and understood P271+P403 - Use and store only outdoors or in a well-ventilated place. P282 - Wear cold insulating gloves, face shield, eye protection CGA-PG05 - Use a back flow preventive device in the piping. CGA-PG24 - DO NOT change or force fit connections. CGA-PG06 - Close valve after each use and when empty.
Refrigerated liquefied gas H281 Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US) Precautionary statements (GHS-US) Dther hazards not contributing to the	 Warning H281 - CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY OSHA-H01 - MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. P202 - Do not handle until all safety precautions have been read and understood P271+P403 - Use and store only outdoors or in a well-ventilated place. P282 - Wear cold insulating gloves, face shield, eye protection CGA-PG05 - Use a back flow preventive device in the piping. CGA-PG24 - DO NOT change or force fit connections. CGA-PG06 - Close valve after each use and when empty. CGA-PG23 - Always keep container in upright position. Asphyxiant in high concentrations. Contact with liquid may cause cold burns/frostbite.



Safety Data Sheet P-4630

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication. Making our planet more productive"

Revision date: 10/03/2014 Date of issue: 01/01/1979

Supersedes: 12/01/2013

3.1. Substance	on on ingredients
Name	Product identifier %
Nitrogen, Refrigerated Liquid (Main constituent)	(CAS No) 7727-37-9 100
3.2. Mixture	
lot applicable	
SECTION 4: First aid measures	
.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.
First-aid measures after skin contact	: For exposure to liquid, immediately warm frostbite area with warm water not to exceed 105°F (41°C). Water temperature should be tolerable to normal skin. Maintain skin warming for at least 15 minutes or until normal coloring and sensation have returned to the affected area. In case of massive exposure, remove clothing while showering with warm water. Seek medical evaluation and treatment as soon as possible.
First-aid measures after eye contact	Immediately flush eyes thoroughly with water for at least 15 minutes. Hold the eyelids open an away from the eyeballs to ensure that all surfaces are flushed thoroughly. Get immediate medical attention.
First-aid measures after ingestion	: Ingestion is not considered a potential route of exposure.
.2. Most important symptoms and effe	ects, both acute and delayed
lo additional information available	
I.3. Indication of any immediate medic None.	al attention and special treatment needed
SECTION 5: Firefighting measures	
i.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
5.2. Special hazards arising from the s	ubstance or mixture
Reactivity	: No reactivity hazard other than the effects described in sub-sections below.
3. Advice for firefighters	
Firefighting instructions	: DANGER! Extremely cold liquid and gas under pressure. Take care not to direct spray onto vents on top of container. Do not discharge sprays directly into liquid; cryogenic liquid can freeze water rapidly. Evacuate all personnel from the danger area. Use self-contained breathing apparatus (SCBA) and protective clothing. Immediately cool containers with water from maximum distance. Stop flow of gas if safe to do so, while continuing cooling water spray
	Remove ignition sources if safe to do so. Remove containers from area of fire if safe to do so. On-site fire brigades must comply with OSHA 29 CFR 1910.156 and applicable standards under 29 CFR 1910 Subpart L—Fire Protection.
rotection during firefighting	 Remove ignition sources if safe to do so. Remove containers from area of fire if safe to do so. On-site fire brigades must comply with OSHA 29 CFR 1910.156 and applicable standards under 29 CFR 1910 Subpart L—Fire Protection. Compressed gas: asphyxiant. Suffocation hazard by lack of oxygen.
Protection during firefighting Special protective equipment for fire fighters	 Remove ignition sources if safe to do so. Remove containers from area of fire if safe to do so. On-site fire brigades must comply with OSHA 29 CFR 1910.156 and applicable standards under 29 CFR 1910 Subpart L—Fire Protection. Compressed gas: asphyxiant. Suffocation hazard by lack of oxygen. Use self-contained breathing apparatus. Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters.
	 Remove ignition sources if safe to do so. Remove containers from area of fire if safe to do so. On-site fire brigades must comply with OSHA 29 CFR 1910.156 and applicable standards under 29 CFR 1910 Subpart L—Fire Protection. Compressed gas: asphyxiant. Suffocation hazard by lack of oxygen. Use self-contained breathing apparatus. Standard protective clothing and equipment (Self
Special protective equipment for fire fighters	 Remove ignition sources if safe to do so. Remove containers from area of fire if safe to do so. On-site fire brigades must comply with OSHA 29 CFR 1910.156 and applicable standards under 29 CFR 1910 Subpart L—Fire Protection. Compressed gas: asphyxiant. Suffocation hazard by lack of oxygen. Use self-contained breathing apparatus. Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters. Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spra jet from a protected position. Prevent water used in emergency cases from entering sewers ar drainage systems. Exposure to fire may cause containers to rupture/explode. Stop flow of product if safe to do so. Use water spray or fog to knock down fire fumes if possible. If leaking do not spray water onto container. Water surrounding area (from protected position) to container.



Safety Data Sheet P-4630

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Making our planet more productive" Date of issue: 01/01/1979 Revision date: 10/03/2014 Supersedes: 12/01/2013 **SECTION 6: Accidental release measures** 6.1. Personal precautions, protective equipment and emergency procedures General measures : Evacuate area. Ensure adequate air ventilation. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Stop leak if safe to do so. 6.1.1. For non-emergency personnel No additional information available For emergency responders 6.1.2. No additional information available **Environmental precautions** 6.2. Try to stop release. Methods and material for containment and cleaning up 6.3. No additional information available 6.4 **Reference to other sections** See also sections 8 and 13. **SECTION 7: Handling and storage** Precautions for safe handling 7.1. Precautions for safe handling : Wear leather safety gloves and safety shoes when handling cylinders. Protect cylinders from physical damage; do not drag, roll, slide or drop. While moving cylinder, always keep in place removable valve cover. Never attempt to lift a cylinder by its cap; the cap is intended solely to protect the valve. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. Never insert an object (e.g., wrench, screwdriver, pry bar) into cap openings; doing so may damage the valve and cause a leak. Use an adjustable strap wrench to remove over-tight or rusted caps. Slowly open the valve. If the valve is hard to open, discontinue use and contact your supplier. Close the container valve after each use; keep closed even when empty. Never apply flame or localized heat directly to any part of the container. High temperatures may damage the container and could cause the pressure relief device to fail prematurely, venting the container contents. For other precautions in using this product, see section 16. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions : Store in a cool, well-ventilated place. Store and use with adequate ventilation. Store only where temperature will not exceed 125°F (52°C). Firmly secure containers upright to keep them from falling or being knocked over. Install valve protection cap, if provided, firmly in place by hand. Store full and empty containers separately. Use a first-in, first-out inventory system to prevent storing full containers for long periods. OTHER PRECAUTIONS FOR HANDLING, STORAGE, AND USE: When handling product under pressure, use piping and equipment adequately designed to withstand the pressures to be encountered. Never work on a pressurized system. Use a back flow preventive device in the piping. Gases can cause rapid suffocation because of oxygen deficiency; store and use with adequate ventilation. If a leak occurs, close the container valve and blow down the system in a safe and environmentally correct manner in compliance with all international, federal/national, state/provincial, and local laws; then repair the leak. Never place a container where it may become part of an electrical circuit. 7.3. Specific end use(s) None. **SECTION 8: Exposure controls/personal protection Control parameters** 8.1.

Nitrogen, Refrigerated Liqui	d (7727-37-9)
ACGIH	Not established
USA OSHA	Not established

EN (English US)

SDS ID: P-4630



Making our planet more productive"

Nitrogen, Refrigerated Liquid

Date of issue: 01/01/1979 Revision date: 10/03/2014

Safety Data Sheet P-4630

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Supersedes: 12/01/2013

8.2. Exposure controls	
Appropriate engineering controls	Oxygen detectors should be used when asphyxiating gases may be released. Systems under pressure should be regularly checked for leakages. Provide adequate general and local exhaust ventilation. Consider work permit system e.g. for maintenance activities.
Hand protection	: Wear working gloves when handling gas containers.
Eye protection	: Wear safety glasses with side shields. Wear goggles and a face shield when transfilling or breaking transfer connections.
Respiratory protection	: Self contained breathing apparatus (SCBA) or positive pressure airline with mask are to be used in oxygen-deficient atmospheres.
Thermal hazard protection	: Wear cold insulating gloves. Wear cold insulating gloves when transfilling or breaking transfer connections.
Environmental exposure controls	: None necessary.
Other information	: Wear safety shoes while handling containers.

SECTION 9: Physical and chemical p	properties	
9.1. Information on basic physical and c		
Physical state	: Gas	
Appearance	: Colorless liquid.	
Molecular mass	: 28 g/mol	
Color	: Colorless liquid.	
Odor	: No data available	
Odor threshold	: No data available	
рН	: Not applicable.	
Relative evaporation rate (butyl acetate=1)	: No data available	
Relative evaporation rate (ether=1)	: Not applicable.	
Melting point	: -210 °C	
Freezing point	: No data available	
Boiling point	: -195.8 °C	
Flash point	: No data available	
Critical temperature	: -149.9 °C	
Auto-ignition temperature	: Not applicable.	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapor pressure	: Not applicable.	
Critical pressure	: 3390 kPa	
Relative vapor density at 20 °C	: No data available	
Relative density	: 0.8	
Specific gravity / density	: 808.5 kg/m ³ Liquid density at boiling point and 1 atm	
Relative gas density	: 0.97	
Solubility	: Water: 20 mg/l	
Log Pow	: Not applicable.	
Log Kow	: Not applicable.	
Viscosity, kinematic	: Not applicable.	
Viscosity, dynamic	: Not applicable.	
Explosive properties	: Not applicable.	
Oxidizing properties	: None.	
Explosive limits	: No data available	
9.2. Other information		
Gas group	: Refrigerated liquefied gas	
Additional information	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.	l
EN (English US)	SDS ID: P-4630	4/9



Safety Data Sheet P-4630

Making our planet more productive"

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Revision date: 10/03/2014 Date of issue: 01/01/1979 Supersedes: 12/01/2013 **SECTION 10: Stability and reactivity** 10.1. Reactivity No reactivity hazard other than the effects described in sub-sections below. 10.2. **Chemical stability** Stable under normal conditions. 10.3. Possibility of hazardous reactions None. 10.4. **Conditions to avoid** Avoid high temperatures, exposure to Lithium (Li), Neodymium (Nd), Titanium (Ti), Magnesium. 10.5. **Incompatible materials**

None.

10.6. Hazardous decomposition products

Under certain conditions, nitrogen can react violently with lithium, neodymium, titanium (above 1472°F/800°C), and magnesium to form nitrides. At high temperature, it can also combine with oxygen and hydrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified pH: Not applicable.
Serious eye damage/irritation	Not classifiedpH: Not applicable.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	Not classifiedNot classified
Specific target organ toxicity (repeated exposure)	: Not classified No known effects from this product.
Aspiration hazard	: Not classified Not applicable.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	No ecological damage caused by this product.
12.2. Persistence and degradability	
Nitrogen, Refrigerated Liquid (7727-37-9)	
Persistence and degradability	No ecological damage caused by this product.
12.3. Bioaccumulative potential	
Nitrogen, Refrigerated Liquid (7727-37-9)	
Log Pow	Not applicable.
Log Kow	Not applicable.
Bioaccumulative potential	No ecological damage caused by this product.
12.4. Mobility in soil	
Nitrogen, Refrigerated Liquid (7727-37-9)	
Mobility in soil	No data available.
EN (English US)	SDS ID: P-4630



Safety Data Sheet P-4630

Date of issue: 01/01/1979

Making our planet more productive"

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication. Revision date: 10/03/2014

Supersedes: 12/01/2013

Nitrogen, Refrigerated Liquid (7727-37-9)	
Ecology - soil	No ecological damage caused by this product.
12.5 Other advarge effects	·
12.5. Other adverse effects Other adverse effects	: Can cause frost damage to vegetation.
Effect on ozone layer	: None.
Effect on the global warming	: No known effects from this product.
SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose of contents/container in accordance with local/regional/national/international regulations. Contact supplier for any special requirements.
SECTION 14: Transport information	
In accordance with DOT	
Transport document description	: UN1977 Nitrogen, refrigerated liquid cryogenic liquid, 2.2
UN-No.(DOT)	: UN1977
Proper Shipping Name (DOT)	: Nitrogen, refrigerated liquid
Dependence of Transportation (DOT) Userand	cryogenic liquid
Department of Transportation (DOT) Hazard Classes	: 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115
Hazard labels (DOT)	: 2.2 - Non-flammable gas
DOT Special Provisions (49 CFR 172.102)	 : 345 - "Nitrogen, refrigerated liquid (cryogenic liquid), UN1977" transported in open cryogenic
DOT Special Provisions (49 CFR 172.102)	receptacles with a maximum capacity of 1 L are not subject to the requirements of this subchapter. The receptacles must be constructed with glass double walls having the space between the walls vacuum insulated and each receptacle must be transported in an outer packaging with sufficient cushioning and absorbent materials to protect the receptacle from damage.
	 346 - "Nitrogen, refrigerated liquid (cryogenic liquid), UN1977" transported in accordance with the requirements for open cryogenic receptacles in §173.320 and this special provision are not subject to any other requirements of this subchapter. The receptacle must contain no hazardous materials other than the liquid nitrogen which must be fully absorbed in a porous material in the receptacle. T75 - When portable tank instruction T75 is referenced in Column (7) of the 172.101 Table, the applicable refrigerated liquefied gases are authorized to be transported in portable tanks in accordance with the requirements of 178.277 of this subchapter.
	accordance with the requirements of 178.277 of this subchapter. TP5 - For a portable tank used for the transport of flammable refrigerated liquefied gases or refrigerated liquefied oxygen, the maximum rate at which the portable tank may be filled must not exceed the liquid flow capacity of the primary pressure relief system rated at a pressure not exceeding 120 percent of the portable tank's design pressure. For portable tanks used for the transport of refrigerated liquefied helium and refrigerated liquefied atmospheric gas (except oxygen), the maximum rate at which the tank is filled must not exceed the liquid flow capacity of the pressure relief device rated at 130 percent of the portable tank's design pressure. Except for a portable tank containing refrigerated liquefied helium, a portable tank shall have an outage of at least two percent below the inlet of the pressure relief device or pressure control valve, under conditions of incipient opening, with the portable tank in a level attitude. No outage is required for helium.
Additional information	
Emergency Response Guide (ERG) Number	: 121 (UN1066);120 (UN1977)
Other information	: No supplementary information available.

SDS ID: P-4630



Safety Data Sheet P-4630

oductive" according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 01/01/1979 Revision date: 10/03/2014 Supersedes: 12/01/2013

Special transport precautions	 Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: Ensure there is adequate ventilation Ensure that containers are firmly secured Ensure cylinder valve is closed and not leaking Ensure valve outlet cap nut or plug (where provided) is correctly fitted.
Transport by sea	
UN-No. (IMDG)	: 1977
Proper Shipping Name (IMDG)	: NITROGEN, REFRIGERATED LIQUID
Class (IMDG)	: 2.2 - Non-flammable, non-toxic gases
MFAG-No	: 120
Air transport	
UN-No.(IATA)	: 1977
Proper Shipping Name (IATA)	: NITROGEN, REFRIGERATED LIQUID
Class (IATA)	: 2
Civil Aeronautics Law	: Gases under pressure/Gases nonflammable nontoxic under pressure

SECTION 15: Regulatory information	
15.1. US Federal regulations	
Nitrogen, Refrigerated Liquid (7727-37-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Sudden release of pressure hazard

15.2. International regulations

CANADA

Nitrogen, Refrigerated Liquid (7727-37-9)		
Listed on the Canadian DSL (Domestic Substances List)		
WHMIS Classification	Class A - Compressed Gas	

EU-Regulations

	Nitrogen, Refrigerated Liquid (7727-37-9)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)		
	Classification according to Regulation (EC) No. 1272/2008 [CLP] Refrigerated liquefied gas H281	
	Full text of H-phrases: see section 16	
	Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]	
	Not classified	

15.2.2. National regulations

Nitrogen, Refrigerated Liquid (7727-37-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

5.3. US State regulations		
Nitrogen, Refrigerated Liquid(7727-37-9)		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental	No	

EN (English US)



Safety Data Sheet P-4630

Making our planet more productive" according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 01/01/1979 Revision date: 10/03/2014 Supersedes: 12/01/2013

Nitrogen, Refrigerated Liquid(7727-37-9)		
Toxicity		
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	
State or local regulations	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List	

SECTION 16: Other information	
Revision date	: 10/3/2014 12:00:00 AM
Other information	: When you mix two or more chemicals, you can create additional, unexpected hazards. Obtain and evaluate the safety information for each component before you produce the mixture. Consult an industrial hygienist or other trained person when you evaluate the end product. Before using any plastics, confirm their compatibility with this product.
	Praxair asks users of this product to study this SDS and become aware of the product hazards and safety information. To promote safe use of this product, a user should (1) notify employees, agents, and contractors of the information in this SDS and of any other known product hazards and safety information, (2) furnish this information to each purchaser of the product, and (3) ask each purchaser to notify its employees and customers of the product hazards and safety information.
	The opinions expressed herein are those of qualified experts within Praxair, Inc. We believe that the information contained herein is current as of the date of this Safety Data Sheet. Since the use of this information and the conditions of use are not within the control of Praxair, Inc., it is the user's obligation to determine the conditions of safe use of the product.
	Praxair SDSs are furnished on sale or delivery by Praxair or the independent distributors and suppliers who package and sell our products. To obtain current SDSs for these products, contact your Praxair sales representative, local distributor, or supplier, or download from www.praxair.com. If you have questions regarding Praxair SDSs, would like the document number and date of the latest SDS, or would like the names of the Praxair suppliers in your area, phone or write the Praxair Call Center (Phone: 1-800-PRAXAIR/1-800-772-9247; Address: Praxair Call Center, Praxair, Inc., P.O. Box 44, Tonawanda, NY 14151-0044).
	PRAXAIR and the Flowing Airstream design are trademarks or registered trademarks of Praxair Technology, Inc. in the United States and/or other countries.

Full text of H-phrases:

Refrigerated liquefied gas	Gases under pressure Refrigerated liquefied gas
H281	CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY
NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
NFPA specific hazard	: SA - This denotes gases which are simple asphyxiants.



Safety Data Sheet P-4630

ive^{**} according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication. Date of issue: 01/01/1979 Revision date: 10/03/2014 Supersedes: 12/01/2013

HMIS III Rating

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 0 Minimal Hazard
Physical	: 2 Moderate Hazard

SDS US (GHS HazCom 2012) - Praxair

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.





Health	1
Fire	0
Reactivity	0
Personal Protection	A

Material Safety Data Sheet Magnesium Chloride - 51% MSDS

Section 1: Chemical Product and Company Identification		
Product Name: Magnesium Chloride - 51%	Contact Information:	
Catalog Codes: SLM2158	Sciencelab.com, Inc. 14025 Smith Rd.	
CAS#: Mixture.	Houston, Texas 77396	
RTECS: Not applicable.	US Sales: 1-800-901-7247 International Sales: 1-281-441-4400	
TSCA: TSCA 8(b) inventory: Magnesium chloride hexahydrate; Water	Order Online: ScienceLab.com	
Cl#: Not applicable.	CHEMTREC (24HR Emergency Telephone), call: 1-800-424-9300	
Synonym:	International CHEMTREC, call: 1-703-527-3887	
Chemical Name: Not applicable.	·	
Chemical Formula: Not applicable.	For non-emergency assistance, call: 1-281-441-4400	

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Magnesium chloride hexahydrate	7791-18-6	51
Water	7732-18-5	49

Toxicological Data on Ingredients:

Section 3: Hazards Identification

Potential Acute Health Effects:

Slightly hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion, of inhalation. Noncorrosive for skin. Non-sensitizer for skin.

Potential Chronic Health Effects:

Non-corrosive for skin. Non-irritant for skin. Non-sensitizer for skin. Non-permeator by skin. Non-irritating to the eyes. Non-hazardous in case of ingestion. Non-hazardous in case of inhalation. CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available.

Section 4: First Aid Measures

Eye Contact: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used.

Skin Contact:

After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. Cover the irritated skin with an emollient. If irritation persists, seek medical attention.

Serious Skin Contact: Not available.

Inhalation: Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Serious Inhalation: Not available.

Ingestion:

Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: Non-flammable.

Auto-Ignition Temperature: Not applicable.

Flash Points: Not applicable.

Flammable Limits: Not applicable.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Not applicable.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions: Not applicable.

Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards: Not available.

Section 6: Accidental Release Measures

Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill:

Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

Section 7: Handling and Storage

Precautions:

Do not ingest. Do not breathe gas/fumes/ vapour/spray. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents.

Storage:

No specific storage is required. Use shelves or cabinets sturdy enough to bear the weight of the chemicals. Be sure that it is not necessary to strain to reach materials, and that shelves are not overloaded.

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Safety glasses. Lab coat.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: Not available.

Physical state and appearance: Liquid.	
Odor: Not available.	
Taste: Not available.	
Molecular Weight: Not applicable.	
Color: Not available.	
pH (1% soln/water): Neutral.	
Boiling Point: The lowest known value is 100°C (212°F) (Water).	
Melting Point: Not available.	
Critical Temperature: Not available.	
Specific Gravity: Weighted average: 1.23 (Water = 1)	
Vapor Pressure: The highest known value is 17.535 mm of Hg (@ 20°C) (Water).
Vapor Density: The highest known value is 0.62 (Air = 1) (Water).	
Volatility: Not available.	
Odor Threshold: Not available.	
Water/Oil Dist. Coeff.: The product is much more soluble in water.	
Ionicity (in Water): Not available.	
Dispersion Properties: See solubility in water, methanol.	
Solubility: Easily soluble in cold water, hot water, methanol. Insoluble in diethyl ether,	n-octanol.
1	

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Not available.

Incompatibility with various substances: Reactive with oxidizing agents.

Corrosivity: Non-corrosive in presence of glass.

Special Remarks on Reactivity: Not available.

Special Remarks on Corrosivity: Not available.

Polymerization: No.

Section 11: Toxicological Information

Routes of Entry: Not available.

Toxicity to Animals: Acute oral toxicity (LD50): 15882 mg/kg (Rat.) (Calculated value for the mixture).

Chronic Effects on Humans: Not available.

Other Toxic Effects on Humans:

Slightly hazardous in case of skin contact (irritant, permeator), of ingestion, of inhalation. Non-corrosive for skin. Non-sensitizer for skin.

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Material is irritating to mucous membranes and upper respiratory tract. (Magnesium chloride hexahydrate)

Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The product itself and its products of degradation are not toxic.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Section 14: Transport Information

DOT Classification: Not a DOT controlled material (United States).

Identification: Not applicable.

Special Provisions for Transport: Not applicable.

Section 15: Other Regulatory Information

Federal and State Regulations: TSCA 8(b) inventory: Magnesium chloride hexahydrate; Water

Other Regulations: Not available. or of its ingredients

Other Classifications:

WHMIS (Canada): Not controlled under WHMIS (Canada).

DSCL (EEC): This product is not classified according to the EU regulations.

HMIS (U.S.A.):

Health Hazard: 1

Fire Hazard: 0

Reactivity: 0

Personal Protection: a

National Fire Protection Association (U.S.A.):

Health: 1

Flammability: 0

Reactivity: 0

Specific hazard:

Protective Equipment:

Not applicable. Lab coat. Not applicable. Safety glasses.

Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Created: 10/10/2005 10:40 AM

Last Updated: 05/21/2013 12:00 PM

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.



Section 1 - Chemical Product and Company Identification

MSDS Name: Mercuric Chloride Solutions **Catalog Numbers:** LC16600, LC16620 Synonyms: None **Company Identification:** LabChem Inc 200 William Pitt Way Pittsburgh, PA 15238 **Company Phone Number:** (412) 826-5230 **Emergency Phone Number:** (800) 424-9300 **CHEMTREC Phone Number:** (800) 424-9300 or 011-703-527-3887

Section 2 – Composition, Information on Ingredients

CAS#	Chemical Name:	Percent
7732-18-5	Water	balance
7487-94-7	Mercuric chloride	5-6.5

Section 3 - Hazards Identification

Emergency Overview

Appearance: clear, colorless solution

Danger! May be fatal if swallowed or absorbed through the skin. May cause eye and skin irritation and possible burns. May cause respiratory and digestive tract irritation. May cause kidney damage, allergic skin reaction, and central nervous system effects. May impair fertility and cause harm to the unborn child.

Target Organs: kidneys, central nervous system, reproductive system.

Potential Health Effects

Eye:

May cause severe eye irritation and possible burns. May cause ulceration of the conjunctiva and cornea. Exposure to mercury or mercury compounds can cause discoloration on the front surface of the lens, which does not interfere with vision.

Skin:

May be fatal if absorbed through the skin. Causes severe skin irritation and possible burns. May cause allergic contact dermatitis.

Ingestion:

May be fatal if swallowed. Causes gastrointestinal irritation and possible burns with nausea, vomiting and diarrhea. May cause muscle tremor and impaired motor function. May cause cardiac disturbances.

Inhalation:

May cause central nervous system effects including vertigo, anxiety, depression, muscle incoordination, and emotional instability. May cause gastrointestinal effects including gum and mouth inflammation, jaw necrosis, and loosening of the teeth. May cause burns to the respiratory tract. Acute exposure to high concentrations of mercury vapors may cause severe respiratory tract irritation.

Chronic:

Chronic exposure to mercury may cause permanent central nervous system damage, fatigue, weight loss, tremors, and personality changes. Prolonged ingestion may cause metallic taste, gingivitis, pyorrhea with loosening teeth, gastrointestinal tract disorders, kidney and liver disorders. Prolonged or repeated skin contact may cause dermatitis. May cause reproductive and fetal effects. Chronic ingestion may cause accumulation of mercury in body tissues. Laboratory experiments have resulted in mutagenic effects. May be rapidly transferred across the placenta and cause adverse fetal effects.

Section 4 - First Aid Measures

Eyes:

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids until no evidence of chemical remains. Get medical aid at once.

Skin:

Immediately flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid at once.

Ingestion:

Give conscious victim 2-4 cupfuls of milk or water. Get medical aid at once.

Inhalation:

Move victim to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid at once.

Notes to Physician:

The concentration of mercury in whole blood is a reasonable measure of the body-burden of mercury and thus is used for monitoring purposes. Persons with kidney disease, chronic respiratory disease, liver disease, or skin disease may be at increased risk from exposure to this substance.

Antidote:

The use of Dimercaprol, BAL (British Anti-Lewisite), or d-Penicillamine as a chelating agent should be determined by qualified medical personnel.

Section 5 - Fire Fighting Measures

General Information:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Water runoff can cause environmental damage. Dike and collect water used to fight fire. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Substance is noncombustible.

Extinguishing Media:

For small fires, use dry chemical, carbon dioxide, water spray or alcohol-resistant foam.



Autoignition Temperature:

No information found. Flash Point: No information found. NFPA Rating: CAS# 7732-18-5: Health- 0, Flammability- 0, Instability- 0. CAS# 7487-94-7: Health- 4, Flammability- 0, Instability- 0. Explosion Limits: Lower: n/a Upper: n/a

Section 6 - Accidental Release Measures

General Information:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks:

Absorb spills with absorbent (vermiculite, sand, fuller's earth) and place in suitable containers labeled for later disposal. Keep out of sewers and drains.

Section 7 - Handling and Storage

Handling:

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Do not breathe dust, mist, or vapor. Do not get in eyes, on skin, or on clothing. Do not ingest or inhale. Use only with adequate ventilation. Extreme care should always be taken to prevent skin and gastrointestinal absorption because these routes of entry can greatly increase the total body burden and are often overlooked in occupational settings.

Storage:

Store in a tightly closed container. Keep away from food and drinking water. Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls:

Facilities using or storing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Exposure Limits:	
-------------------------	--

Chemical Name:	ACGIH	NIOSH	OSHA
Water	None of the components are on this list.	None of the components are on this list.	None of the components are on this list.
Mercuric chloride	0.025 mg/m3 TWA (as Hg) (listed under Mercury inorganic compounds)	0.05 mg/m3 TWA (vapor, as Hg) (listed under Mercury compounds) 0.1 mg/m3 IDLH (as Hg) (listed under Mercury compounds)	None of the components are on this list.

OSHA Vacated PELs:

None.



Personal Protective Equipment

Eyes:

Do not wear contact lenses when working with chemicals. Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin:

Wear appropriate protective gloves to prevent skin exposure.

Clothing:

Wear appropriate protective clothing to prevent skin exposure.

Respirators:

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

Section 9 - Physical and Chemical Properties

Physical State:	Clear liquid
Color:	Colorless
Odor:	Odorless
pH:	4-5
Vapor Pressure:	No information found.
Vapor Density:	No information found.
Evaporation Rate:	No information found.
Viscosity:	No information found.
Boiling Point:	> 212°F (> 100°C)
Freezing/Melting Point:	< 32°F (< 0°C)
Decomposition Temperature:	No information found.
Solubility in water:	Soluble
Specific Gravity/Density:	1.2
Molecular Formula:	No information found.
Molecular Weight:	No information found.

Section 10 - Stability and Reactivity

Chemical Stability:

Stable under normal temperatures and pressures.

Conditions to Avoid:

Incompatible materials.

Incompatibilities with Other Materials:

Strong oxidizing agents, strong bases, ammonia, copper, iron, silver salts, potassium, antimony, sodium, lead, hypophosphites, formates, sulfites, phosphates, albumin, gelatin, alkalis, alkaloid salts, lime water, arsenic, bromides, borax, carbonates, reduced iron, infusions of cinchona, columbo, oak bark or senna, tannic acid, metallic halides, vegetable astringents.

Hazardous Decomposition Products:

Mercury, mercury oxides.

Hazardous Polymerization:

Has not been reported.



Section 11 - Toxicological Information

RTECS:

CAS# 7732-18-5: ZC0110000. CAS# 7487-94-7: OV9100000.

LD50/LC50:

CAS# 7732-18-5: Oral, rat: LD50 = >90 mL/kg. CAS# 7487-94-7: Oral, mouse: LD50 = 6 mg/kg Oral, rat: LD50 = 1 mg/kg Skin, rat: LD50 = 41 mg/kg.

Carcinogenicity:

CAS# 7732-18-5: Not listed as a carcinogen by ACGIH, IARC, NIOSH, NTP, OSHA, or CA Prop 65.

CAS# 7487-94-7: Listed as Group 3 (Not classifiable as to carcinogenicity) by IARC.

Epidemiology:

See entry in the Documentation of the Threshold Limit Values and Biological Exposure Indices issued by ACGIH.

Teratogenicity:

Mercuric chloride has been embryotoxic, fetotoxic, and teratogenic in experimental animals, and has affected fertility in male mice. Inorganic mercury has been implicated in male impotence, menstrual disorders, and spontaneous abortions in humans.

Reproductive:

Data clearly indicate that mercury can affect both male & female reproductive outcomes. It has not been possible to unequivocally determine a safe exposure level for protection of reproduction function in either male or female workers, particularly since many studies didn't adequately evaluate dermal exposure. Those planning to have children should keep their exposure to mercury as low as possible by engineering controls, personal protective equipment for skin & respiratory tract, & good personal hygiene.

Mutagenicity:

No information found

Neurotoxicity:

No information found

Section 12 - Ecological Information

Ecotoxicity: Fish: Rainbow trout: LC50 = 0.903 mg/L; 24 Hr; Unspecified Fish: Fathead Minnow: LC50 = 0.037 mg/L; 48 Hr; Unspecified Fish: Bluegill/Sunfish: LC50 = 0.16 mg/L; 96 Hr; Static at 13.5-16.2°C (pH 7.1-7.3) Water flea Daphnia: LC50 = 0.093 mg/L; 48 Hr; Unspecified

Section 13 - Disposal Considerations

Dispose of in accordance with Federal, State, and local regulations.



Section 14 - Transport Information

US DOT

Shipping Name:Mercury compounds, liquid, n.o.s. (Mercuric chloride)Hazard Class:6.1UN Number:UN2024Packing Group:PG II

Section 15 - Regulatory Information

US Federal

TSCA:

CAS# 7732-18-5 is listed on the TSCA Inventory. CAS# 7487-94-7 is listed on the TSCA Inventory.

SARA Reportable Quantities (RQ):

None of the components are on this list.

CERCLA/SARA Section 313:

This material contains Mercury(II) chloride (listed as Mercury compounds), 5-6.5%, (CAS# 7487-94-7), which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 372.

OSHA - Highly Hazardous:

None of the components are on this list.

US State

State Right to Know:

Mercuric chloride can be found on the following state Right-to-Know lists: New Jersey, Florida, Pennsylvania, Massachusetts, California (listed as Mercury compounds).

California Regulations:

WARNING: This product contains Mercury(II) chloride, listed as `Mercury compounds', a chemical known to the state of California to cause birth defects or other reproductive harm.

European/International Regulations

Canadian DSL/NDSL:

CAS# 7732-18-5 is listed on Canada's DSL List. CAS# 7487-94-7 is listed on Canada's DSL List.

Canada Ingredient Disclosure List:

CAS# 7732-18-5 is not listed on Canada's Ingredient Disclosure List. CAS# 7487-94-7 is listed on Canada's Ingredient Disclosure List.

Section 16 - Other Information

MSDS Creation Date: February 17, 1998

Revision Date: October 11, 2011

Information in this MSDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc. assumes no liability resulting from the use of this MSDS. The user must determine suitability of this information for his application.





Health	1
Fire	0
Reactivity	0
Personal Protection	A

Material Safety Data Sheet Potassium Iodate 5% Solution MSDS

Section 1: Chemical Product and Company Identification		
Product Name: Potassium Iodate 5% Solution	Contact Information:	
Catalog Codes: SLP5269	Sciencelab.com, Inc.	
CAS#: Mixture.	14025 Smith Rd. Houston, Texas 77396	
RTECS: Not applicable.	US Sales: 1-800-901-7247	
TSCA: TSCA 8(b) inventory: Potassium iodate; Water	International Sales: 1-281-441-4400 Order Online: ScienceLab.com	
Cl#: Not available.	CHEMTREC (24HR Emergency Telephone), call:	
Synonym:	1-800-424-9300	
Chemical Name: Potassium Iodate 5% Solution	International CHEMTREC, call: 1-703-527-3887	
Chemical Formula: Not applicable.	For non-emergency assistance, call: 1-281-441-4400	

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Potassium iodate	7758-05-6	5
Water	7732-18-5	95

Toxicological Data on Ingredients: Potassium iodate LD50: Not available. LC50: Not available.

Section 3: Hazards Identification

Potential Acute Health Effects:

Hazardous in case of ingestion. Slightly hazardous in case of skin contact (irritant), of eye contact (irritant), of inhalation. Non-corrosive for skin.

Potential Chronic Health Effects:

Non-corrosive for skin. Non-irritant for skin. Non-sensitizer for skin. Non-permeator by skin. Non-irritating to the eyes. Nonhazardous in case of ingestion. Non-hazardous in case of inhalation. CARCINOGENIC EFFECTS: Classified None. by OSHA, None. by NIOSH [Potassium Iodate 5% Solution]. Classified (Inadequate study.) by NTP [Potassium Iodate 5% Solution]. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance is toxic to lungs, mucous membranes. Repeated or prolonged exposure to the substance can produce target organs damage.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention if irritation occurs.

Skin Contact:

Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops. Cold water may be used.

Serious Skin Contact: Not available.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation: Not available.

Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: Non-flammable.

Auto-Ignition Temperature: Not applicable.

Flash Points: Not applicable.

Flammable Limits: Not applicable.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Not applicable.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions: Not applicable.

Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards: Not available.

Section 6: Accidental Release Measures

Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill:

Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

Section 7: Handling and Storage

Precautions:

Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not breathe gas/fumes/ vapor/spray.

Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers.

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Personal Protection: Safety glasses. Lab coat.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: Not available.

Section 9: Physical and Chemical Properties

Physical state and appearance: Liquid.

Odor: Not available.

Taste: Not available.

Molecular Weight: Not applicable.

Color: Not available.

pH (1% soln/water): Neutral.

Boiling Point: The lowest known value is 100°C (212°F) (Water).

Melting Point: Not available.

Critical Temperature: Not available.

Specific Gravity: Weighted average: 1.04 (Water = 1)

Vapor Pressure: The highest known value is 2.3 kPa (@ 20°C) (Water).

Vapor Density: The highest known value is 0.62 (Air = 1) (Water).

Volatility: Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: Not available.

lonicity (in Water): Not available.

Dispersion Properties: See solubility in water.

Solubility: Easily soluble in cold water.

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Not available.

Incompatibility with various substances: Not available.

Corrosivity: Non-corrosive in presence of glass.

Special Remarks on Reactivity: Not available.

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

Section 11: Toxicological Information

Routes of Entry: Absorbed through skin. Eye contact. Ingestion.

Toxicity to Animals:

LD50: Not available. LC50: Not available.

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: Classified None. by OSHA, None. by NIOSH [Potassium Iodate 5% Solution]. Classified (Inadequate study.) by NTP [Potassium Iodate 5% Solution].

Other Toxic Effects on Humans:

Hazardous in case of ingestion. Slightly hazardous in case of skin contact (irritant), of inhalation.

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The product itself and its products of degradation are not toxic.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Section 14: Transport Information

DOT Classification: Not a DOT controlled material (United States).

Identification: Not applicable.

Special Provisions for Transport: Not applicable.

Section 15: Other Regulatory Information

Federal and State Regulations: TSCA 8(b) inventory: Potassium iodate; Water

Other Regulations: Not available. or of its ingredients

Other Classifications:

WHMIS (Canada): Not controlled under WHMIS (Canada).

DSCL (EEC): R8- Contact with combustible material may cause fire.

HMIS (U.S.A.):

Health Hazard: 1

Fire Hazard: 0

Reactivity: 0

Personal Protection: a

National Fire Protection Association (U.S.A.):

Health: 1

Flammability: 0

Reactivity: 0

Specific hazard:

Protective Equipment: Not applicable. Lab coat. Not applicable. Safety glasses.

Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Created: 10/10/2005 11:46 AM

Last Updated: 05/21/2013 12:00 PM

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.





Health	2
Fire	0
Reactivity	0
Personal Protection	E

Material Safety Data Sheet Sodium iodide MSDS

Section 1: Chemical Product and Company Identification

Product Name: Sodium iodide **Contact Information:** Sciencelab.com. Inc. Catalog Codes: SLS1486, SLS2905 14025 Smith Rd. CAS#: 7681-82-5 Houston, Texas 77396 RTECS: WB6475000 TSCA: TSCA 8(b) inventory: Sodium iodide Cl#: Not available. Synonym: 1-800-424-9300 Chemical Name: Not available. Chemical Formula: Nal

US Sales: 1-800-901-7247 International Sales: 1-281-441-4400

Order Online: ScienceLab.com

CHEMTREC (24HR Emergency Telephone), call:

International CHEMTREC, call: 1-703-527-3887

For non-emergency assistance, call: 1-281-441-4400

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Sodium iodide	7681-82-5	100

Toxicological Data on Ingredients: Sodium iodide: ORAL (LD50): Acute: 4340 mg/kg [Rat]. 1000 mg/kg [Mouse].

Section 3: Hazards Identification

Potential Acute Health Effects:

Very hazardous in case of ingestion. Hazardous in case of eye contact (irritant), of inhalation. Slightly hazardous in case of skin contact (irritant, permeator).

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance is toxic to the nervous system. Repeated or prolonged exposure to the substance can produce target organs damage.

Section 4: First Aid Measures

Eve Contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.

Skin Contact:

After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. Cover the irritated skin with an emollient. If irritation persists, seek medical attention.

Serious Skin Contact: Not available.

Inhalation: Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Serious Inhalation: Not available.

Ingestion:

Do not induce vomiting. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: Non-flammable.

Auto-Ignition Temperature: Not applicable.

Flash Points: Not applicable.

Flammable Limits: Not applicable.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Not applicable.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions: Not applicable.

Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards: Not available.

Section 6: Accidental Release Measures

Small Spill:

Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill:

Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

Section 7: Handling and Storage

Precautions:

Do not ingest. Do not breathe dust. Avoid contact with eyes Wear suitable protective clothing In case of insufficient ventilation, wear suitable respiratory equipment If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents, metals, acids.

Storage:

No specific storage is required. Use shelves or cabinets sturdy enough to bear the weight of the chemicals. Be sure that it is not necessary to strain to reach materials, and that shelves are not overloaded.

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection:

Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: Not available.

Section 9: Physical and Chemical Properties

Physical state and appearance	: Solid. (Deliquescent crystals solid.)
Odor: Odorless.	
Taste: Bitter. Saline. (Strong.)	
Molecular Weight: 149.89 g/mol	e
Color: White.	
pH (1% soln/water): 7 [Neutral.]	
Boiling Point: Decomposes.	
Melting Point: 651°C (1203.8°F)	
Critical Temperature: Not availa	ble.
Specific Gravity: 3.67 (Water =	1)
Vapor Pressure: Not applicable.	
Vapor Density: Not available.	
Volatility: Not available.	
Odor Threshold: Not available.	
Water/Oil Dist. Coeff.: Not avail	able.
Ionicity (in Water): Not available	
Dispersion Properties: See solu	ubility in water, methanol, acetone.
Solubility: Easily soluble in cold water, hot v	vater. Partially soluble in methanol, acetone.

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Not available.

Incompatibility with various substances:

Highly reactive with oxidizing agents, acids. Reactive with metals.

Corrosivity:

Highly corrosive in presence of aluminum, of zinc, of copper. Corrosive in presence of steel. Non-corrosive in presence of glass, of stainless steel(304), of stainless steel(316).

Special Remarks on Reactivity: Not available.

Special Remarks on Corrosivity: Not available.

Polymerization: No.

Section 11: Toxicological Information

Routes of Entry: Eye contact. Inhalation. Ingestion.

Toxicity to Animals: Acute oral toxicity (LD50): 1000 mg/kg [Mouse].

Chronic Effects on Humans: The substance is toxic to the nervous system.

Other Toxic Effects on Humans:

Very hazardous in case of ingestion. Hazardous in case of inhalation. Slightly hazardous in case of skin contact (irritant, permeator).

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Section 14: Transport Information

DOT Classification: Not a DOT controlled material (United States).

Identification: Not applicable.

Special Provisions for Transport: Not applicable.

Section 15: Other Regulatory Information

Federal and State Regulations: TSCA 8(b) inventory: Sodium iodide

Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other Classifications:

WHMIS (Canada): Not controlled under WHMIS (Canada).

DSCL (EEC): R36- Irritating to eyes.

HMIS (U.S.A.):

Health Hazard: 2

Fire Hazard: 0

Reactivity: 0

Personal Protection: E

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 0

Specific hazard:

Protective Equipment:

Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Splash goggles.

Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Created: 10/10/2005 08:27 PM

Last Updated: 05/21/2013 12:00 PM

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.





Health	1
Fire	0
Reactivity	0
Personal Protection	A

Material Safety Data Sheet Sodium Thiosulfate, 0.100N MSDS

Section 1: Chemical Product and Company Identification Product Name: Sodium Thiosulfate, 0.100N **Contact Information:** Sciencelab.com, Inc. Catalog Codes: SLS2623 14025 Smith Rd. CAS#: Mixture. Houston, Texas 77396 US Sales: 1-800-901-7247 **RTECS:** Not applicable. International Sales: 1-281-441-4400 TSCA: TSCA 8(b) inventory: Sodium carbonate; Water Order Online: ScienceLab.com CI#: Not available. CHEMTREC (24HR Emergency Telephone), call: **Synonym:** Sodium Thiosulfate, 0.100N, Aqueous 1-800-424-9300 Solution, APHA International CHEMTREC, call: 1-703-527-3887 Chemical Name: Not applicable. For non-emergency assistance, call: 1-281-441-4400 Chemical Formula: Not applicable.

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Sodium thiosulfate pentahydrate	10102-17-7	2.48
Sodium carbonate	497-19-8	0.02
Water	7732-18-5	97.5

Toxicological Data on Ingredients: Sodium thiosulfate pentahydrate LD50: Not available. LC50: Not available.

Section 3: Hazards Identification

Potential Acute Health Effects:

Slightly hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Non-corrosive for skin. Non-permeator by skin. Non-corrosive to the eyes. Non-corrosive for lungs.

Potential Chronic Health Effects:

Slightly hazardous in case of skin contact (irritant, sensitizer). CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention if irritation occurs.

Skin Contact:

Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops. Cold water may be used.

Serious Skin Contact: Not available.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation: Not available.

Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: Non-flammable.

Auto-Ignition Temperature: Not applicable.

Flash Points: Not applicable.

Flammable Limits: Not applicable.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Not applicable.

Explosion Hazards in Presence of Various Substances: Non-explosive in presence of open flames and sparks, of shocks.

Fire Fighting Media and Instructions: Not applicable.

Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards: An explosion may occur if triturated with nitrates, chlorates, or permanganates. (Sodium thiosulfate pentahydrate)

Section 6: Accidental Release Measures

Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill:

Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

Section 7: Handling and Storage

Precautions: No specific safety phrase has been found applicable for this product.

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Personal Protection: Safety glasses. Lab coat.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: Not available.

Section 9: Physical and Chemical Properties

Physical state and appearance: Liquid.

Odor: Not available.

Taste: Not available.

Molecular Weight: Not applicable.

Color: Clear Colorless.

pH (1% soln/water): Neutral.

Boiling Point: The lowest known value is 100°C (212°F) (Water).

Melting Point: Not available.

Critical Temperature: Not available.

Specific Gravity: Weighted average: 1.01 (Water = 1)

Vapor Pressure: The highest known value is 2.3 kPa (@ 20°C) (Water).

Vapor Density: The highest known value is 0.62 (Air = 1) (Water).

Volatility: Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: Not available.

Ionicity (in Water): Not available.

Dispersion Properties: See solubility in water.

Solubility:

Easily soluble in cold water, hot water. Insoluble in acetone.

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Incompatible materials, light

Incompatibility with various substances: Slightly reactive to reactive with oxidizing agents, acids, alkalis.

Corrosivity: Non-corrosive in presence of glass.

Special Remarks on Reactivity: Sodium Thiosulfate may be unstable to light.

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

Section 11: Toxicological Information

Routes of Entry: Skin. Eye contact.

Toxicity to Animals:

LD50: Not available. LC50: Not available.

Chronic Effects on Humans: Not available.

Other Toxic Effects on Humans:

Slightly hazardous in case of skin contact (irritant), of ingestion, of inhalation. Non-permeator by skin.

Special Remarks on Toxicity to Animals: LDL (Lowest Published Lethal Dose) [Man] - Route: Oral; Dose: 714 mg/kg (Sodium carbonate)

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans:

Acute Potenial Health Effects: Skin: It may cause mild skin irritation. Eyes: Can cause mechanical eye irritation. Inhalation: May cause upper respiratory tract and mucous membrane irritation. Ingestion: Sodium Thiosulfate is an agent with a low order of toxicity. Ingestion of large doses may cause gastrointestinal irritation disturbances with nausea, vomiting, addominal cramping, diarrhea, metabolic acidosis, and hypernatremia. May also affect respiration (cyanosis, respiratory stimulation), cardiovascular(hypotension), behavior (ataxia, convulsions) Chronic Potential Health Effects: Skin: Prolonged or repeated skin contact may allergic dermatitis, and irritation. The toxicological preperties of this substance have not been fully investigated. (Sodium thiosulfate pentahydrate)

Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: Not available.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14: Transport Information

DOT Classification: Not a DOT controlled material (United States).

Identification: Not applicable.

Special Provisions for Transport: Not applicable.

Section 15: Other Regulatory Information

Federal and State Regulations: TSCA 8(b) inventory: Sodium carbonate; Water

Other Regulations: Not available. or of its ingredients

Other Classifications:

WHMIS (Canada): Not controlled under WHMIS (Canada).

DSCL (EEC):

This product is not classified according to the EU regulations. Not applicable.

HMIS (U.S.A.):

Health Hazard: 1

Fire Hazard: 0

Reactivity: 0

Personal Protection: a

National Fire Protection Association (U.S.A.):

Health: 1

Flammability: 0

Reactivity: 0

Specific hazard:

Protective Equipment:

Not applicable. Lab coat. Not applicable. Safety glasses.

Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Created: 10/10/2005 12:09 PM

Last Updated: 05/21/2013 12:00 PM

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.





Health	3
Fire	0
Reactivity	0
Personal Protection	

Material Safety Data Sheet Sulfuric Acid, 25% (v/v) MSDS

Section 1: Chemical Product and Company Identification		
Product Name: Sulfuric Acid, 25% (v/v)	Contact Information:	
Catalog Codes: SLS3517	Sciencelab.com, Inc. 14025 Smith Rd. Houston, Texas 77396	
CAS#: Mixture.		
RTECS: Not applicable.	US Sales: 1-800-901-7247 International Sales: 1-281-441-4400 Order Online: ScienceLab.com CHEMTREC (24HR Emergency Telephone), call: 1-800-424-9300	
TSCA: TSCA 8(b) inventory: Water; Sulfuric acid		
CI#: Not applicable.		
Synonym: Sulfuric Acid, 25%		
Chemical Name: Not applicable.	International CHEMTREC, call: 1-703-527-3887	
Chemical Formula: Not applicable.	For non-emergency assistance, call: 1-281-441-4400	

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Water	7732-18-5	75
Sulfuric acid	7664-93-9	25

Toxicological Data on Ingredients: Sulfuric acid: ORAL (LD50): Acute: 2140 mg/kg [Rat.]. VAPOR (LC50): Acute: 510 mg/m 2 hours [Rat]. 320 mg/m 2 hours [Mouse].

Section 3: Hazards Identification

Potential Acute Health Effects:

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive, permeator), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Severe over-exposure can result in death. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: Classified 1 (Proven for human.) by IARC, + (Proven.) by OSHA [Sulfuric acid]. Classified A2 (Suspected for human.) by ACGIH [Sulfuric acid]. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Classified Reproductive system/toxin/female, Reproductive system/toxin/

male [SUSPECTED] [Sulfuric acid]. The substance may be toxic to the reproductive system, teeth. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. WARNING: It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.

Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: Non-flammable.

Auto-Ignition Temperature: Not applicable.

Flash Points: Not applicable.

Flammable Limits: Not applicable.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Not applicable.

Explosion Hazards in Presence of Various Substances: Non-explosive in presence of open flames and sparks, of shocks.

Fire Fighting Media and Instructions: Not applicable.

Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards:

Mixtures of sulfuricacid and any of the following can explode: p-nitrotoluene, pentasi lver trihydroxydiaminophosphate, perchlorates, alcohols with strong hydrogen peroxide, ammonium tetraperoxychromate, mercuric nitrite, potassium chlorate, potassium permanganate with potassium chloride. Nitramide decomposes explosively on contact with concentrated sulfuricacid. 1,3,5-Trinitrosohexahydro-1,3,5-triazine + sulfuricacid causes explosive decompositon. (Sulfuricacid)

Section 6: Accidental Release Measures

Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of sodium carbonate.

Large Spill:

Corrosive liquid. Poisonous liquid. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Do not touch spilled material. Use water spray curtain to divert vapor drift. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of sodium carbonate. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7: Handling and Storage

Precautions:

Keep locked up.. Keep container dry. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents, combustible materials, organic materials, metals, acids, alkalis, moisture. May corrode metallic surfaces. Store in a metallic or coated fiberboard drum using a strong polyethylene inner package.

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area. Do not store above 23°C (73.4°F).

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection:

Face shield. Full suit. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:

Sulfuric acid TWA: 1 STEL: 3 (mg/m3) [Australia] Inhalation TWA: 1 (mg/m3) from OSHA (PEL) [United States] Inhalation TWA: 1 STEL: 3 (mg/m3) from ACGIH (TLV) [United States] [1999] Inhalation TWA: 1 (mg/m3) from NIOSH [United States] Inhalation TWA: 1 (mg/m3) [United Kingdom (UK)]3 Consult local authorities for acceptable exposure limits.

Section 9: Physical and Chemical Properties

Physical state and appearance: Liquid.

Odor: Not available.

Taste: Not available.

Molecular Weight: Not applicable.

Color: Clear Colorless.

pH (1% soln/water): Acidic.

Boiling Point: The lowest known value is 100°C (212°F) (Water). Weighted average: 147.5°C (297.5°F)

Melting Point: May start to solidify at 10.36°C (50.6°F) based on data for: Sulfuric acid.

Critical Temperature: Not available.

Specific Gravity: Weighted average: 1.13 (Water = 1)

Vapor Pressure: The highest known value is 2.3 kPa (@ 20°C) (Water).

Vapor Density: The highest known value is 3.4 (Air = 1) (Sulfuric acid). Weighted average: 1.31 (Air = 1)

Volatility: Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: Not available.

lonicity (in Water): Not available.

Dispersion Properties: See solubility in water.

Solubility: Easily soluble in cold water, hot water.

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Incompatible materials

Incompatibility with various substances: Reactive with oxidizing agents, combustible materials, organic materials, metals, acids, alkalis.

Corrosivity:

Extremely corrosive in presence of steel, of aluminum, of stainless steel(304), of stainless steel(316), steel Non-corrosive in presence of glass.

Special Remarks on Reactivity:

May ignite other combustible materials. Hygroscopic. Strong oxidizer. Reacts violently with water and alcohol especially when water is added to the product. Also Incompatible (can react explosively or dangerously) with the following: strong dehydrating agents, organic materials, moisture, Acetic anhydride, Acetone, cyanohydrin, Acetone+nitric acid, Acetone + potassium dichromate, Acetonitrile, Acrolein, Acrylonitrile, Acrylonitrile+water, Alcohols + hydrogen peroxide, Allyl alcohol, Allyl Chloride, 2-Aminoethanol, Ammonium hydroxide, Ammonium triperchromate, Aniline, Bromate + metals, Bromine pentafluoride, n-Butyraldehyde, Carbides, Cesium acetylene carbide, Chlorates, Chlorated + metals, Chlorine trifluoride, Chlorosulfonic acid, Cuprous nitride, Diisobutylene, Dimethylbenzylcarbinol + hydrogen peroxide, Epichlorohydrin, Ethyl alcohol + hydrogen peroxide, Ethylene diamine, Ethylene glycol, Ethylenimine, Fulminates, Hydrochloric acid, Hydrofluoric acid, Iodine heptafluoride, Indane + nitric acid, Iron, Isoprene, Lithium silicide, Mercuric nitride, Mesityl oxide, Metals (powdered), Nitric acid + glycerides, p-Nitrotoluene, Pentasilver trihydroxydiaminophosphate Perchlorates, Perchloric acid, Permanganates + benzene, 1-Phenyl-2-methylpropyl alcohol + hydrogen peroxide, Phosphorus, Phosphorus isocyanate, Picrates, Potassium tert-butoxide, Potassium chlorate, Potassium Permanganate, Potassium Permanganate + Potassium chloride, Potassium Permanganate, Sodium, Sodium carbonate, sodium hydroxide, Steel, styrene monomer, toluene + nitirc acid, Vinyl acetate, Zinc chlorate. (Sulfuric acid)

Special Remarks on Corrosivity:

Attacks and corrodes many metals releasing hydrogen. Minor corrosive effect bronze. No corrosivity information on brass or copper Will not occur.

Polymerization:

Section 11: Toxicological Information

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Inhalation. Ingestion.

Toxicity to Animals: Acute oral toxicity (LD50): 8560 mg/kg (Rat.) (Calculated value for the mixture).

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: Classified 1 (Proven for human.) by IARC, + (Proven.) by OSHA [Sulfuric acid]. Classified A2 (Suspected for human.) by ACGIH [Sulfuric acid]. DEVELOPMENTAL TOXICITY: Classified Reproductive system/toxin/ female, Reproductive system/toxin/male [SUSPECTED] [Sulfuric acid]. Contains material which may cause damage to the following organs: the reproductive system, teeth.

Other Toxic Effects on Humans:

Extremely hazardous in case of inhalation (lung corrosive). Very hazardous in case of skin contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive, permeator), of eye contact (corrosive).

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans:

Special Remarks on other Toxic Effects on Humans:

Acute Potential Health Effects: Skin: Causes severe skin irritation and burns. Continued contact can cause tissue necrosis. Eye: Causes severe eye irritation and burns. May cause irreversible eye injury. Ingestion: May cause permanent damage to the digestive tract. Causes gastrointestial tract burns. May cause systemic toxicity with acidosis. May affect teeth. Inhalation: May cause severe irritation of the respiratory tract with sore throat, coughing, shortness of breath, and delayed lung edema. Causes chemical burns to the repiratory tract. Inhalation may be fatal as a result of spasm, inflammation, edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema. Cause corrosive action on mucous membranes. May affect behavior, urinary system, and cardiovascular system. (Sulfuric acid)

Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are less toxic than the product itself.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14: Transport Information

DOT Classification: Class 8: Corrosive material

Identification: : Sulfuric Acid Solution (Sulfuric acid) UNNA: 2796 PG: II

Special Provisions for Transport: Not available.

Section 15: Other Regulatory Information

Federal and State Regulations:

Illinois toxic substances disclosure to employee act: Sulfuric acid New York release reporting list: Sulfuric acid Rhode Island RTK hazardous substances: Sulfuric acid Pennsylvania RTK: Sulfuric acid Minnesota: Sulfuric acid Massachusetts RTK: Sulfuric acid New Jersey: Sulfuric acid TSCA 8(b) inventory: Water; Sulfuric acid SARA 302/304/311/312 extremely hazardous substances: Sulfuric acid SARA 313 toxic chemical notification and release reporting: Sulfuric acid 25% CERCLA: Hazardous substances.: Sulfuric acid: 1000 lbs. (453.6 kg);

Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other Classifications:

WHMIS (Canada): Not controlled under WHMIS (Canada).

DSCL (EEC):

R35- Causes severe burns. S1/2- Keep locked up and out of the reach of children. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37- Wear suitable protective clothing and gloves. S39- Wear eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 0

Personal Protection:

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 0

Specific hazard:

Protective Equipment:

Gloves. Full suit. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Face shield.

Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Created: 10/09/2005 11:59 PM

Last Updated: 05/21/2013 12:00 PM

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.