

## **Deep Brine Pools**

Anschutz, P., G. Blanc, F. Chatin, M. Geiller, and M. Pierret, 1999. Hydrographic changes during 20 years in the brine filled basins of the Red Sea. *Deep-Sea Research I*, **46**, 1779-1792.

Anschutz, P., J. S. Turner, and G. Blanc, 1998. The development of layering, fluxes through double-diffusive interfaces, and location of hydrothermal sources of brines in the Atlantis II Deep: Red Sea. *Journal of Geophysical Research*, **103**, 27809–27819.

Anschutz, P., and G. Blanc, 1996. Heat and salt fluxes in the Atlantis II Deep (Red Sea). *Earth and Planetary Science Letters*, **142**, 147-159.

Bicknell, J.D., K.C. Macdonald, S.P. Miller, P.F. Lonsdale, and K. Becker, 1986. Tectonics of the Nereus Deep, Red Sea: A deep-tow investigation of a site of initial rifting. *Marine Geophysical Researches*, **8**, 131-148.

Blanc, G., and P. Anschutz, 1995. New stratification in the hydrothermal brine system of the Atlantis II Deep, Red Sea. *Geology*, **23**, 543-546.

Burke, R.A., Jr., J.M. Brooks, and W.M. Sackett, 1981. Light hydrocarbons in Red Sea brines and sediments. *Geochimica et Cosmochimica Acta*, **45**, 627-634.

Cochran, J.R., F. Martinez, M.S. Steckler, and M.A. Hobart, 1986. Conrad Deep: A new northern Red Sea deep. Origin and implications for continental rifting. *Earth and Planetary Science Letters*, **78**, 18-32.

Degens, E.T., 1988. Tributes. *Organic Geochemistry*, **12**, V-XIV.

Degens, E.T., and D.A. Ross, 1970. The Red Sea hot brines. *Scientific American*, **222**, 31-42.

Hartmann, M., J.C. Scholten, P. Stoffers, and F. Wehner, 1998. Hydrographic structure of brine-filled deeps in the Red Sea – new results from the Shaban, Kebrit, Atlantis II, and Discovery Deep. *Marine Geology*, **144**, 311-330.

Hartmann, M., J.C. Scholten, and P. Stoffers, 1998. Hydrographic structure of brine-filled deeps in the Red Sea: correction of Atlantis II Deep temperatures. *Marine Geology*, **144**, 331-332.

Hartmann, M., 1972. Sound velocity data for the hot brines and corrected depth of the interfaces in the Atlantis II deep. *Marine Geology*, **12**, M16-M20.

Hovland, M., H.G. Rueslatten, H.K. Johnsen, B. Kvamme, and T. Kuznetsova, 2006. Salt formation associated with sub-surface boiling and supercritical water. *Marine and Petroleum Geology*, **23**, 855-869.

- Hunt, J.M., E.E. Hays, E.T. Degens, and D.A. Ross, 1967. Red Sea: Detailed survey of hot-brine areas. *Science*, **156**, 514-516.
- McDougall, T.J., 1984. Fluid dynamic implications for massive sulphide deposits of hot saline fluid flowing into a submarine depression from below. *Deep-Sea Research*, **31**, 145-170.
- Monin, A.S., V.M. Litvin, A.M. Podrazhansky, A.M. Sagalevich, O.G. Sorokhtin, V.I. Voitov, V.S. Yastrebov, and L.P. Zonenshain, 1982. Red Sea submersible research expedition. *Deep-Sea Research*, **29**, 361-373.
- Monin, A.S., E.A. Plakhin, 1982. Stratification and space-time variability of Red Sea hot brines. *Deep-Sea Research*, **29**, 1271-1291.
- Nawab, Z.A., 1984. Red Sea mining: A new era. *Deep-Sea Research*, **31**, 813-822.
- Oudin, E., and A. Cocherie, 1988. Fish debris record the hydrothermal activity in the Atlantis II Deep sediments (Red Sea). *Geochimica et Cosmochimica Acta*, **52**, 177-184.
- Pautot, G., P. Guennoc, A. Coutelle, N. Lyberis, 1984. Discovery of a large brine deep in the northern Red Sea. *Nature*, **310**, 133-136.
- Ramboz, C., and M. Danis, 1990. Superheating in the Red Sea? The heat-mass balance of the Atlantis II Deep revisited. *Earth and Planetary Science Letters*, **97**, 190-210.
- Ross, D.A., and J. Schlee, 1977 "Shallow structure and geologic development of the southern Red Sea." Red Sea Research 1970-1975. Mineral Resources Bulletin 22-E. 20 pages. Directorate General of Mineral Resources, Jiddah, Saudi Arabia.
- Ross, D.A., 1972. Red Sea hot brine area: Revisited. *Science*, **175**, 1455-1457.
- Ross, D.A. 1969. Temperature structures of the Red Sea brines. In: Degens, E.T., Ross, D.A., editors. Hot brines and recent heavy metal deposits in the Red Sea. New York: Springer-Verlag. p. 131-147.
- Schoell, M., and E. Faber, 1978. New isotopic evidence for the origin of Red Sea brines. *Nature*, **275**, 436-438.
- Schoell, M., M. Hartmann, 1978. Changing hydrothermal activity in the Atlantis II Deep geothermal system. *Nature*, **174**, 784-785.
- Swallow, J.C, and J. Crease, 1965. Hot salty water at the bottom of the Red Sea. *Nature*, **205**, 165-166.
- Voorhis, A.D., and D.L. Dorson, 1975. Thermal convection in the Atlantis II hot brine pool. *Deep-Sea Research*, **22**, 167-175.

Winckler, G., W.A. Aeschbach-Hertig, R. Kipfer, R. Botz, A.P. Rubel, R. Bayer, and P. Stoffers, 2001. Constraints on origin and evolution of Red Sea brines from helium and argon isotopes, *Earth and Planetary Science Letters*, **184**, 671-683.

## **General PO**

Ahmad, F., S.A.R. Sultan, and M.O. Moammar, 1989. Monthly variations of net heat flux at the air-sea interface in coastal waters near Jeddah, Red Sea. *Atmosphere-Ocean*, **27**, 406-413.

Anati, D.A., 1976. Balances and transports in the Red Sea and the Gulf of Elat ('Aqaba). *Israel Journal of Earth-Sciences*, **25**, 104-110.

Baudner, H., K. Jancke, and D. Quadfasel, 1983: CTD-data obtained in the Red Sea during 21-30 May 1983 RV Sagar Kanya, Technical Report Institute of Oceanography University of Hamburg-1983, 84 pp.

Berman, T., N. Paldor, and S. Brenner, 2003. Annual SST cycle in the Eastern Mediterranean, Red Sea and Gulf of Elat. *Geophysical Research Letters*, **30**, 4 pp.

Bunker, A.F., H. Charnock, and R.A. Goldsmith, 1982. A note on the heat balance of Mediterranean and Red Seas. *Journal of Marine Research*, **40**, 73-84.

Clifford, M., C. Horton, J. Schmitz, and L.H. Kantha, 1997. An oceanographic nowcast/forecast system for the Red Sea. *Journal of Geophysical Research*, **102**, 25101-25122.

Eschel, G., and N.H. Naik, 1997. Climatological coastal jet collision, intermediate water formation, and the general circulation of the Red Sea. *Journal of Physical Oceanography*, **27**, 1233-1257.

Eschel, G., M.A. Cane, and M.B. Blumenthal, 1994. Modes of subsurface, intermediate, and deep water renewal in the Red Sea. *Journal of Geophysical Research*, **99**, 15941-15952.

Gilman, C., and C. Garrett, 1994. Heat flux parameterizations for the Mediterranean Sea: The role of atmospheric aerosols and constraints from the water budget. *Journal of Geophysical Research*, **99**, 5119-5134.

Grimm, T., and T. Maxworthy, 1999. Buoyancy driven mean flow in a long channel with hydraulically constrained exit condition. *Journal of Fluid Mechanics*, **398**, 155-180.

Johns, W.E., G.A. Jacobs, J.C. Kindle, S.P. Murray, and M. Carron, 1999. Arabian marginal seas and gulfs: Report of a workshop held at Stennis Space Center, Miss. 60 pp.

Kirby, C.M., 1991, Red Sea circulation during the northeast monsoon as seen in drifting buoy plots. MTS '91. An Ocean Cooperative: Industry, Government, and Academia. Proceedings. New Orleans Convection Center, November 10-14, 1991, MTS, Washington, DC (USA), 1991, pp. 1242-1245, Proc. Mar. Technol. Soc. Conf.

Maillard, C., and G. Soliman, 1986. Hydrography of the Red Sea and exchanges with the Indian Ocean in summer. *Oceanologica Acta*, **9**, 21 pages.

Matsoukas, C., A.C. Banks, K.G. Pavlakis, N. Hatzianastassiou, P.W. Stackhouse Jr., and I. Varfavas, 2007. Seasonal heat budgets of the Red and Black seas. *Journal of Geophysical Research*, **112**, 1-15.

Maxworthy, T., 1997. A frictionally and hydraulically constrained model of the convectively driven mean flow in partially enclosed seas. *Deep-Sea Research 1*, **44**, 1339-1354.

Morcos, S.A. 1990. Physical and chemical oceanography. In: Morcos, S.A., Varley, A., editors. Red Sea, Gulf of Aden, and Suez Canal: A bibliography on oceanographic and marine environmental research. Jeddah, Saudi Arabia : ALECSO-PERSGA. p. i-xxi.

Morcos, S., and G.F. Soliman, 1974: Observations circulation and deep water formation in the northern Red Sea in winter. Symp. L'Océanographie Physique de la Mer Rouge, Paris, France, Association Internationale des Sciences Physiques de l'Océan, 91-103.

Neumann, A.C, and D.A. McGill, 1962. Circulation of the Red Sea in early summer. *Deep-Sea Research*, **8**, 223-235.

Paldor, N., and D.A. Anati, 1979. Seasonal variations of temperature and salinity in the Gulf of Elat (Aqaba). *Deep-Sea Research*, **26**, 661-672.

Patzert, W.C., 1974: Volume and heat transports between the Red Sea and Gulf of Aden and notes on the Red Sea heat budget. Symp. L'Océanographie Physique de la Mer Rouge, Paris, France, Association Internationale des Sciences Physiques de l'Océan, 191-201.

Phillips, O.M., 1966. On turbulent convection currents and the circulation of the Red Sea. *Deep-Sea Research*, **13**, 1149-1160.

Plahn, O., B. Baschek, T.H. Badewien, M. Walter, and M. Rhein, 2002. Importance of the Gulf of Aqaba for the formation of bottom water in the Red Sea. *Journal of Geophysical Research*, **107**, 18 pp.

Quadfasel, D., and H. Baudner, 1993. Gyre-scale circulation cells in the Red Sea. *Oceanologica Acta*, **16**, 221-229.

Quadfasel, D., 1986: Seasonal variability of temperature in the Red Sea: XBT-sections from MCS "UBENA" in 1985-1986, Technical Report Institute of Oceanography University of Hamburg-1986, 87 pp.

Robinson, M.K., 1974: Atlas of monthly mean sea surface and subsurface temperature and depth of the top of the thermocline. Symp. L'Océanographie Physique de la Mer Rouge, Paris, France, Association Internationale des Sciences Physiques de l'Océan, 29-54.

Ross, D A., 1983. "The Red Sea" in "Estuaries and Enclosed Seas" edited by B.H.Ketchum, pages 293-307, Elsevier Scientific Publishing Company, Amsterdam.

Sammari, C., 2004. "Tide gauge network on the Red Sea. IOC/GLOSS/PERSGA/ISESCO Technical Mission to the Sea. Tide Gauge Operating Agencies. 9-20 December 2004."  
[http://www.iode.org/glossafrica/reports/Tech\\_Assessment\\_Red\\_Sea\\_Dec\\_2004.pdf](http://www.iode.org/glossafrica/reports/Tech_Assessment_Red_Sea_Dec_2004.pdf) (6 January 2009)

Sclater, J.G., 1966. Heat flow in the northwest Indian Ocean and Red Sea. *Philosophical Transactions of the Royal Society of London. Series A, Mathematical and Physical Sciences*, **259**, 271-278.

Seidler, G. 1969. General circulation of water masses in the Red Sea. In: Degens, E.T., Ross, D.A., editors. Hot brines and recent heavy metal deposits in the Red Sea. New York: Springer-Verlag. p. 131-147. PART 1

Seidler, G. 1969. General circulation of water masses in the Red Sea. In: Degens, E.T., Ross, D.A., editors. Hot brines and recent heavy metal deposits in the Red Sea. New York: Springer-Verlag. p. 131-147. PART 2

Siddall, M., 2003. Paleo-circulation of the Red Sea and global sea level. *Graduate School of the Southampton Oceanography Centre (Thesis)*, 147 pages.

Sofianos, S.S., and W.E. Johns, 2007. Observations of the summer Red Sea circulation. *Journal of Geophysical Research*, **112**, C6, C06025.

Sofianos, S.S., and W.E Johns, 2003. An Oceanic General Circulation Model (OGCM) investigation of the Red Sea circulation: 2. Three-dimensional circulation in the Red Sea. *Journal of Geophysical Research*, **108**, 15 pp.

Sofianos, S.S., W.E. Johns, and S.P. Murray, 2002. Heat and freshwater budgets in the Red Sea from direct observations at Bab el Mandeb. *Deep-Sea Research II*, **49**, 1323-1340.

Sofianos, S.S., and W.E. Johns, 2002. An oceanic general circulation model (OGCM) investigation of the Red Sea circulation: 1. Exchange between the Red Sea and the Indian Ocean. *Journal of Geophysical Research*, **107**, 11 pp.

Sofianos, S.S., and W.E. Johns, 2001. Wind induced sea level variability in the Red Sea. *Geophysical Research Letters*, **28**, 3175-3178.

Sofianos, S. 1997. Water mass budgets in the Red Sea: A box mode. [Miami (FL)]: University of Miami. 13 pp.

Spall, M.A., 2004. Boundary currents and watermass transformation in marginal seas. *Journal of Physical Oceanography*, **34**, 1197-1213.

Tragou, E., C. Garrett, R. Outerbridge, and C. Gilman, 1999. The heat and freshwater budgets of the Red Sea. *Journal of Physical Oceanography*, **29**, 2504-2522.

Tragou, E., and C. Garrett, 1997. The shallow thermohaline circulation of the Red Sea. *Deep-Sea Research I*, **44**, 1355-1376.

Woelk, S., and D. Quadfasel, 1996. Renewal of deep water in the Red Sea during 1982-1987. *Journal of Geophysical Research*, **101**, 18155-18165.

Wolf-Vecht, A., N. Paldor, and S. Brenner, 1992. Hydrographic indications of advection/convection effects in the Gulf of Elat. *Deep-Sea Research*, **39**, 1393-1401.

Wyrtki, K., n.d. On the deep circulation of the Red Sea. *Colloques Internationaux du CNRS*, 91-106.

## **Closed Basin**

Strub., P.T., and T.M. Powell, 1986. Wind-driven surface transport in stratified closed basins: Direct versus residual circulation. *Journal of Geophysical Research*, **91**, 8497-8508.

## **Gulf of Elat**

Berman, T., N. Paldor, and S. Brenner, 2000. Simulation of wind-driven circulation in the Gulf of Elat (Aqaba). *Journal of Marine Systems*, **26**, 349-365.

Cember, R.P, 1988. On the sources, formation, and circulation of Red Sea deep water. *Journal of Geophysical Research*, **93**, 8175-8187

Cember, R.P., 1988. On the sources, formation, and circulation of Red Sea deep water. *Journal of Geophysical Research*, **93**, 8188-8191.

Klinker, J., Z. Reiss, C. Kropach, I. Levanon, H. Harpaz, E. Halicz, 1976. Observations of the circulation pattern in the Gulf of Elat ('Aqaba), Red Sea. *Israel Journal of Earth Sciences*, **25**, 85-103.

Murray, S.P., A. Hecht, and A. Babcock, 1984. On the mean flow in the Tiran Strait in winter. *Journal of Marine Research*, **42**, 265-277.

## **Bab al Mandeb**

Aiki, H., K. Takahashi, T. Yamagata, 2006. The Red Sea outflow regulated by the Indian monsoon. *Continental Shelf Research*, **26**, 1448-1468.

Bethoux, J.P., 1987. Climatic variability of transports between the Red Sea and the Indian Ocean. *Oceanologica Acta*, **10**, 285-291.

Bower, A.S., W.E. Johns, D.M. Fratantoni, and H. Peters, 2005. Equilibrium and circulation of Red Sea outflow water in the Western Gulf of Aden. *Journal of Physical Oceanography*, **35**, 1963-1985.

Bower, A.S., H.D. Hunt, and J.F. Price, 2000. Character and dynamics of the Red Sea and Persian Gulf outflows. *Journal of Geophysical Research*, **105**, 6387-6414.

Chang, Y.S., T.M. Özgökmen, H.P., and X Xu, 2008. Numerical simulation of the Red Sea outflow using HYCOM and comparison with REDSOX observations. *Journal of Physical Oceanography*, **38**, 337-358.

Ivey, G.N., 2004. Stratification and mixing in sea straits. *Deep-Sea Research II*, **51**, 441-453.

Lane-Serff, G.F., and P.G. Baines, 2000. Eddy formation by overflows in stratified water. *Journal of Physical Oceanography*, **30**, 327-337.

Matt, S., and W.E. Johns, 2007. Transport and entrainment in the Red Sea outflow plume. *Journal of Physical Oceanography*, **37**, 819-836.

Murray, S.P., and W. Johns, 1997. Direct observation of seasonal exchange through the Bab el Mandab Strait. *Geophysical Research Letters*, **24**, 2557-2560.

Osman, M.M., 1985. Water exchange between the Red Sea and Gulf of Aden. *Int. Symp. upw. W. Afr.*, **1**, 205-212.

Ozgokmen, T.M., W.E. Johns, H. Peters, and S. Matt, 2003. Turbulent mixing in the Red sea outflow plume from a high-resolution nonhydrostatic model. *Journal of Physical Oceanography*, **33**, 1846-1869.

Peters, H., and W.E. Johns, 2006. Bottom layer turbulence in the Red Sea outflow plume. *Journal of Physical Oceanography*, **36**, 1763-1785.

Peters, H., and W.E. Johns, 2005. Mixing and entrainment in the Red Sea outflow plume. Part II: Turbulence characteristics. *Journal of Physical Oceanography*, **35**, 584-600.

Pratt, L.J., W. Johns, S.P. Murray, and K. Katsumata, 1999. Hydraulic interpretation of direct velocity measurements in the Bab al mandeb. *Journal of Physical Oceanography*, **29**, 2769-2784.

Pratt, L.J., H.E. Deese, S.P. Murray and W. Johns, 2000. Continuous dynamic modes in straits having arbitrary cross sections, with applications to the Bab al mandeb. *Journal of Physical Oceanography*, **30**, 2515-2534.

Price, J.F., and M.O. Baringer, 1994. Outflows and deep water production by marginal seas. *Progress in Oceanography*, **33**, 161-200.

Rhein, M., L. Stramma, and O. Plahn, 1997. Tracer signals of the intermediate layer of the Arabian Sea. *Geophysical Research Letters*, **24**, 2561-2564.

Seryy, V.V., 1973. On the water exchange between the Red Sea and the Gulf of Aden. *Okeanologicheskiye Issledovaniya*, **19**, 195-200.

Siddall, M., D.A. Smeed, S. Matthiesen, and E.J. Rohling, 2002. Modelling the seasonal cycle of the exchange flow in Bab El Mandab (Red Sea). *Deep-Sea Research I*, **49**, 1551-1569.

Smeed, D.A., 2004. Exchange through the Bab el Mandab. *Deep-Sea Research II*, **51**, 455-474.

Smeed, D. A., 2000. Hydraulic control of three-layer exchange flows: Application to the Bab al Mandab. *Journal of Physical Oceanography*, **30**, 2574-2588.

Soliman, G. F., and C. Mailliard, 1988. The three-layer structure of water exchange in Bab-el-Mandab Strait. *Bulletin of the Institute of Oceanography and Fisheries*, **14**, 261-278.

Van Aken, H. M., and L. Otto, 1974: Observations of the exchange of water in the Strait of Bab el Mandab in 1967. Symp. L'Océanographie Physique de la Mer Rouge, Paris, France, Association Internationale des Sciences Physiques de l'Océan, 229-252.



## **Interdisciplinary**

Chase, Z., A. Paytan, K. S. Johnson, J. Street, and Y. Chen, 2006. Input and cycling of iron in the Gulf of Aqaba, Red Sea. *Global Biogeochemical Cycles*, **20**, 11 pp.

Craig, H., 1966. Isotopic composition and origin of the Red Sea and Salton Sea geothermal brines. *Science*, **154**, 1544-1548.

Crosby, M.P., A. Abu-Hilal, A. Al-Homoud, J. Erez, and R. Ortal' 2000. Interactions among scientists, managers and the public in defining research priorities and management strategies for marine and coastal resources: Is the Red Sea Marine Peace Park a new paradigm? *Water, Air, and Soil Pollution*, **123**, 581-594.

Eshel, G., D.P. Schrag, and B.F. Farrell, 2000. Troposphere-planetary boundary layers interactions and the evolution of ocean surface density: Lessons from Red Sea corals. *Journal of Climate*, **13**, 339-351.

Felis, T., J. Patzold, Y. Loya, M. Fine, A.H. Nawar, and G. Wefer, 2000. A coral oxygen isotope record from the northern Red Sea documenting NAO, ENSO, and North Pacific teleconnections on Middle East climate variability since the year 1750. *Paleoceanography*, **15**, 679-694.

Felis, T., J. Pätzold, Y. Loya, and G. Wefer, 1998. Vertical water mass mixing and plankton blooms recorded in skeletal stable carbon isotopes of a Red Sea coral, *Journal of Geophysical Research*, **103**, 30731–30739.

Genin, A., B. Lazar, and S. Brenner, 2002. Vertical mixing and coral death in the Red Sea following the eruption of Mount Pinatubo. *Nature*, **377**, 507-510.

Gupta, S.R., S. Naik, and S.Y.S. Singbal, 1978. A study of fluoride, calcium and magnesium in the northern Indian Ocean. *Marine Chemistry*, **125-141**, 125-141.

Hansell, D.A., and E. T. Peltzer, 1998. Spatial and temporal of total organic carbon in the Arabian Sea. *Deep-Sea Research II*, **45**, 2171-2193.

Hearn, C.J., 1999. Wave-breaking hydrodynamics within coral reef systems and the effect of changing relative sea level. *Journal of Geophysical Research*, **104**, 30,007-30019.

Jago, O.K., P.S. Kench, and R.W. Brander, 2007. Field observations of wave-driven water-level gradients across a coral reef flat. *Journal of Geophysical Research*, **112**, 14 pages.

Kleypas, J.A., R.W. Buddemeier, D. Archer, J. Gattuso, C. Langdon, and B.N. Opdyke, 1999. Geochemical consequences of increased atmospheric carbon dioxide on coral reefs. *Science*, **284**, 118-120.

Labiosa, R.G., K.R. Arrigo, A. Genin, S.G. Monismith, and G. van Dijken, 2003. The interplay between upwelling and deep convective mixing in determining the seasonal phytoplankton dynamics in the Gulf of Aqaba: Evidence from SeaWiFs and MODIS. *Limnology and Oceanography*, **48**, 2355-2368.

Lindell, D., and A.F. Post, 1995. Ultraphytoplankton succession is triggered by deep winter mixing in the Gulf of Aqaba (Eilat), Red Sea. *Limnology Oceanography*, **40**, 1130-1141.

Lugo-Fernandez, A., H.H. Roberts, and W.j. Wiseman, Jr., 1998. Tide effects on wave attenuation and wave set-up on a Caribbean coral reef. *Estuarine, Coastal, and Shelf Science*, **47**, 385-393.

Monismith, S.G., 2007. Hydrodynamics of Coral Reefs. *Annual Review of Fluid Mechanics*, **39**, 37-55.

Monismith, S.G., A. Genin, M.A. Reidenbach, G. Tahel, and J.R. Koseff, 2006. Thermally driven exchanges between a coral reef and the adjoining ocean. *Journal of Physical Oceanography*, **36**, 1332-1347.

Niemann, H., C. Richter, H.M. Jonkers, M.I. Badran, 2004. Red Sea gravity currents cascade near-reef phytoplankton to the twilight zone. *Marine Ecology Progress Series*, **269**, 91-99.

Pandolfi, J.M. R.H. Bradbury, E. Sala, T.P. Hughes, K.A. Bjorndal, R.G. Cooke, D. McArdle, L. McClenachan, M.J. H. Newman, G. Paredes, R.R. Warner, and J.B.C. Jackson, 2003. Global trajectories of the long-term decline of coral reef ecosystems. *Science*, **301**, 955-958.

Rimbu, N., G. Lohmann, T. Felis, and J. Patzold, 2003. Shift in ENSO teleconnections recorded by a northern Red Sea coral. *Journal of Climate*, **16**, 1414-1422.

Said, R., 1951. Organic origin of some calcareous sediments from the Red Sea. *Science*, **113**, 517-518.

Symonds, G., K.P. Black, and I.R. Young, 1995. Wave-driven flow over shallow reefs. *Journal of Geophysical Research*, **100**, 2639-2648.

## Arabian Sea

- Al Saafani, M.A., S.S.C. Shenoi, D. Shankar, M. Aparna, J. Kurian, F. Durand, and P.N. Vinayachandran, 2007. Westward movement of eddies into the Gulf of Aden from the Arabian Sea. *Journal of Geophysical Research*, **112**, C11, C11004.
- Assaf, G., and K. Kessler, 1976. Climate and energy exchange in the Gulf of Aden (Eilat). *Monthly Weather Review*, **104**, 381-385.
- Beal, L.M., A. Field, and A.L. Gordon, 2000. Spreading of Red Sea overflow waters in the Indian Ocean. *Journal of Geophysical Research*, **105**, 8549-8564.
- Bower, A.S., D.M. Fratantoni, W.E. Johns, and H. Peters, 2002. Gulf of Aden eddies and their impact on Red Sea Water. *Geophysical Research Letters*, **29**, 21-1-21-4.
- Fedorov, K.N., and S.L. Meshchanov, 1988. Structure and propagation of Red Sea waters in the Gulf of Aden. *Oceanology*, **28**, 279-284.
- Gamsakhurdiya, G.R., L.S. Meshchanov, and G.K. Shapiro, 1991. Seasonal variations in the distribution of Red Sea waters in the northwestern Indian Ocean. *Oceanology*, **31**, 32-37.
- Grundlingh, M.L., 1985. Occurrence of Red Sea water in the southwestern Indian Ocean, 1981. *Journal of Physical Oceanography*, **15**, 207-212.
- Kurian, J., and P.N. Vinayachandran, 2007. Mechanisms of formation of the Arabian Sea mini warm pool in a high-resolution Ocean General Circulation Model. *Journal of Geophysical Research*, **112**, 14 pages.
- Maiyza, I.A., and E.E. Mohamed, 1993. Sea surface temperature anomalies in the northwestern Indian Ocean and its adjacent seas. *Indian Journal of Marine Science*, **22**, 180-187.
- Mecking, S., and M.J. Warner, 1999. Ventilation of Red Sea water with respect to chlorofluorocarbons. *Journal of Geophysical Research*, **104**, 11087-11097.
- Morrison, J.M., L.A. Codispoti, S.L. Smith, K. Wishner, C. Flagg, W.D. Gardner, S. Gaurin, S.W.A. Naqvi, and V. Mangnani, 1999. The oxygen minimum zone in the Arabian Sea during 1995. *Deep-Sea Research II*, **46**, 1903-1931.
- Quadfasel, D.R., and F. Schott, 1982. Water-mass distributions at intermediate layers off the Somali coast during the onset of the southwest monsoon, 1979. *Journal of Physical Oceanography*, **12**, 1358-1372.
- Rochford, D.J., 1966. Source regions of oxygen maxima in intermediate depths of the Arabian Sea. *Australian Journal of Marine Freshwater Research*, **17**, 1-30.

Rochford, D.J., 1964, Salinity maxima in the upper 1000 metres of the north Indian Ocean. *Australian Journal of Marine Freshwater Research*, **15**, 1-24.

Schott, F.A., and J.P. McCreary Jr., 2001. The monsoon circulation of the Indian Ocean. *Progress in Oceanography*, **51**, 1-123.

Schott, F.A., and J. Fischer, 2000. Winter monsoon circulation of the northern Arabian Sea and Somali Current. *Journal of Geophysical Research*, **105**, 6359-6376.

Schmitz, W.J. Jr., 1996. On the world ocean circulation: Volume II: The Pacific and Indian Oceans/A global update. Woods Hole Oceanographic Institution Technical Report WHOI-96-08, 245 pp.

Shetye, S.R., A.D. Gouveia, and S.S. Shenoi, 1994. Circulation and water masses of the Arabian Sea. *Earth and Environmental Science*, **103**, 107-123.

Schulte, S., F. Rostek, E. Bard, J. Rullkotter, O. Marchal, 1999. Variations of oxygen-minimum and primary productivity recorded in sediments of the Arabian Sea. *Earth and Planetary Science Letters*, **173**, 205-221.

## **Biology**

Abelson, A., B. Shteinman, M. Fine, and S. Kaganovsky, 1999. Mass transport from pollution sources to remote coral reefs in Eilat (Gulf of Aqaba, Red Sea). *Marine Pollution Bulletin*, **28**, 25-29.

Bellwood, D.R., T.P. Hughes, 2001. Regional-scale assembly rules and biodiversity of coral reefs. *Science*, **292**, 1532-1535.

Bernhard, R., 2001. Degradation of reef structure, coral and fish communities in the Red Sea by ship groundings and dynamite fisheries. *Bulletin of Marine Science*, **69**, 595-611.

Klein, R., A.W. Tudhope, C.P. Chilcott, J. Patzold, Z. Abdulkarim, M. Fine, A.E. Fallick, and Y. Loya., 1997. Evaluating southern Red Sea corals as a proxy record for the Asian monsoon. *Earth and Planetary Science Letters*, **148**, 381-384.

Klinker, J., Z. Reiss, C. Kropach, I. Levanon, H. Harpaz, and Y. Shapiro, 1978. Nutrients and biomass distribution in the Gulf of Aqaba (Eilat), Red Sea. *Marine Biology*, **45**, 53-64.

Knowlton, N., 2001. Coral reef biodiversity – Habitat size matters. *Science*, **292**, 1493-1495.

Levanon-Spanier, I., 1979. Primary production in a desert-enclosed – the Gulf of Elat (Aqaba), Red Sea. *Deep Sea Research*, **26**, 673-685.

Loya, Y., 1976. Recolonization of Red Sea corals affected by natural catastrophes and man-made perturbations. *Ecology*, **57**, 278-289.

Meschanov, S.L., and G.I. Shapiro, 1998. A young lens of Red Sea water in the Arabian Sea. *Deep Sea Research I*, **45**, 1-13.

Richter, C., M Wunsch, M. Rasheed, I. Kotter, M.I. Badran, 2001. Endoscopic exploration of Red Sea coral reefs reveals dense populations of cavity-dwelling sponges. *Nature*, **413**, 726-731.

Scheer, G. , 1971. Coral reefs and coral genera in the Red Sea and Indian Ocean. *Symposium of Zoological Society of London* **28**, 329–367.

Shlesinger, Y., and Y. Loya, 1985. Coral community reproductive patters: Red sea versus the Great Barrier Reef. *Science*, **228**, 1333-1335.

Veldhuis, M.J.W., G.W. Kraay, J.D.L. Van Bleijswijk, and M.A. Baars, 1997. Seasonal and spatial variability in phytoplankton biomass, productivity and growth in the northwestern Indian Ocean: The southwest and northeast monsoon, 1992-1993. *Deep-Sea Research*, **44**, 425-449.

## **Paleoceanography**

Arbic, B. K., J. X. Mitrovica, D. R. MacAyeal, and G. A. Milne, 2008. On the factors behind large Labrador Sea tides during the last glacial cycle and the potential implications for Heinrich events. *Paleoceanography*, **23**, 14 pp.

Arvidson, R., R. Becker, A. Shanabrook, W. Luo, N. Sturchio, M. Sultan, Z. Lotfy, A. M. Mahmood, and Z. El Alfy, 1994. Climatic, eustatic, and tectonic controls on Quaternary deposits and landforms, Red Sea coast, Egypt. *Journal of Geophysical Research*, **99**, 12175–12190.

Arz, H.W., F. Lamy, J. Patsold, P.J. Muller, and M. Prins, 2003. Mediterranean moisture source for an early-holocene humid period in the northern Red Sea. *Science*, **300**, 118-121.

Arz, H. W., J. Pätzold, P. J. Müller, and M. O. Moammar, 2003. Influence of Northern Hemisphere climate and global sea level rise on the restricted Red Sea marine environment during termination I. *Paleoceanography*, **18**, 13 pp.

Biton, E., H. Gildor, and W. R. Peltier, 2008. Red Sea during the last glacial maximum: Implications for sea level reconstruction. *Paleoceanography*, **23**, 12 pp.

Deuser, W.G., 1977. Sea straits and glacial periods in the Red Sea. *Science*, **195**, 90.

Deuser, W.G., E.H. Ross, and L.S. Waterman, 1976. Glacial and pluvial periods: Their relationship revealed by Pleistocene sediments of the Red Sea and Gulf of Aden. *Science*, **191**, 1168-1170.

Eshel, G., and N. Heavens, 2007. Climatological evaporation seasonality in the northern Red Sea. *Paleoceanography*, **22**, 15 pp.

Naqvi, W.A., and R.G. Fairbanks, 1996. A 27,000 year record of Red Sea outflow: Implication for timing of post-glacial monsoon intensification. *Geophysical Research Letters*, **23**, 1502-1504.

Rohling, E.J., W.J. Zachariasse, 1996. Red Sea outflow during the last glacial maximum. *Quaternary International*, **31**, 77-83.

Rohling, E.J., 1994. Glacial conditions in the Red Sea. *Paleoceanography*, **9**, 653-660.

Sirocko, F., 2003. Ups and downs in the Red Sea. *Nature*, **423**, 813-814.

Thunell, R.C., S.M. Locke, and D.F. Williams, 1988. Glacio-eustatic sea-level control on Red Sea salinity. *Nature*, **334**, 601-604.

## **Meteorology**

Arz, H.W., F. Lamy, J. Patsold, P.J. Muller, and M. Prins, 2003. Mediterranean moisture source for an early-holocene humid period in the northern Red Sea. *Science*, **300**, 118-121.

Chakraborty, A., S.K. Behera, M. Mujumdar, R. Ohba, and T. Yamagata, 2006. Diagnosis of tropospheric moisture over Saudi Arabia and influences of IOD and ENSO. *Monthly Weather Review*, **134**, 598-617.

Chen, C. R.C. Beardsley, S. Hu, Q. Xu, and H. Lin., 2005. Using MM5 to hindcast the ocean surface forcing fields over the Gulf of Maine and Georges Bank Region. *Journal of Atmospheric and Oceanic Technology*, **22**, 131-145.

Chen, S.S., 2001. Impact of the AVHRR sea surface temperature on atmospheric forcing in the Japan/East Sea. *Geophysical Research Letters*, **28**, 4539-4542.

Dorman, C.E., C.A. Friehe, D. Khelif, A. Scotti, K. Edson, R.C. Beardsley, R. Limeburner, and S. Chen., 2006. Winter atmospheric conditions over the Japan/East Sea: The structure and impact of severe cold-air outbreaks. *Oceanography*, **19**, 96-109.

Eshel, G., D.P. Schrag, and B.F. Farrell, 2000. Troposphere-planetary boundary layers interactions and the evolution of ocean surface density: Lessons from Red Sea corals. *Journal of Climate*, **13**, 339-351.

- Hara, T., Hozumi, Y., Z. Wang, R Ohba, and H. Ueda, 2005. An intercomparison study of MM5 and RAMS simulations in a coastal desert area of Saudi Arabia. WRF/MM5 Users' Workshop, 4 pp.
- Kidron, G.J., and K. Pick, 2000. The limited role of localized convective storms in runoff production in the western Negev Desert. *Journal of Hydrology*, **229**, 281-289.
- Krichak, S.O., P. Alpert, T.N. Krishnamurti, 1997. Interaction of topography and tropospheric flow – a possible generator for the Red Sea trough? *Meteorology and Atmospheric Physics*, **63**, 149-158.
- Krichak, S.O., P. Alpert, T.N. Krishnamurti, 1997. Red Sea trough/cyclone development – numerical investigation. *Meteorology and Atmospheric Physics*, **63**, 159-169.
- Lo, J.C., Z. Yang, and R.A. Pielke Sr., 2008. Assessment of three dynamical climate downscaling methods using the Weather Research and Forecasting (WRF) model. *Journal of Geophysical Research*, **113**, 16 pp.
- Nagai, H., T. Kobayashi, K. Tsuduki, K. Kim, 2006: Coupled atmosphere, land-surface, hydrology, ocean-wave, and ocean-current models for mesoscale water and energy circulations. Japan Atomic Energy Research Institute, Tokai, Ibaraki, Japan, 7 pp.
- Nof, D., and N. Paldor, 1994. Statistics of wind over the Red Sea with applications to the exodus question. *Journal of Applied Meteorology*, **33**, 1017-1025.
- Nof, D., N. Paldor, 1992. Are there oceanographic explanations for the Israelites' crossing of the Red Sea. *Bulletin of the American Meteorological Society*, **73**, 305-314.
- Patzert, W.C., 1974. Wind-induced reversal in Red Sea circulation. *Deep-Sea Research*, **21**, 109-121.
- Pedgeley, D.E., 1974: An outline of the weather and climate of the Red Sea. Symp. L'Océanographie Physique de la Mer Rouge, Paris, France, Association Internationale des Sciences Physiques de l'Océan, 9-27.
- Rostkier-Edelstein, D., Y. Liu, M. Ge, T. Warner, S. Swerdlin, A. Pietrkowski, and Y. Segev, 2006: Simulation of a high impact weather event over Israel with the WRF-RTFDDA system – a case study. *2006 WRF Workshop*, Boulder, CO. June 2006. 5 pp.
- Sofianos, S.S., and W.E. Johns, 2001. Wind induced sea level variability in the Red Sea. *Geophysical Research Letters*, **28**, 3175-3178.
- Sultan, S.A.R., F. Ahmad, and D. Nassar, 1996. Relative contribution of external sources of mean sea-level variation at Port Sudan, Red Sea. *Estuarine, Coastal and Shelf Science*, **42**, 19-30.

Tsvieli, Y., and A. Zangvil, 2005. Synoptic climatological analysis of 'wet' and 'dry' Red Sea troughs over Israel. *International Journal of Climatology*, **25**, 1997-2015.

Tsvieli, Y., and A. Zangvil, 2007. Synoptic climatological analysis of Red Sea trough and non-Red Sea trough rain situations over Israel. *Advances in Geosciences*, **12**, 137-143.

Van Buskirk, R., K. Garbesi, and K. Rosen, 1998. Wind resource assessment of Eritrea, Africa: Preliminary results and status. *Journal of Wind Engineering and Industrial Aerodynamics*, 74-76, 365-374.

## **Geology**

Abbate, E., M. L. Balestrieri, and G. Bigazzi, 2002. Morphostructural development of the Eritrean rift flank (southern Red Sea) inferred from apatite fission track analysis. *Journal of Geophysical Research*, **107**, 12 pp.

Ben-Avraham, Z., and R. P. Von Herzen, 1987. Head flow and continental breakup: The Gulf of Elat (Aqaba). *Journal of Geophysical Research*, **92**, 1407-1416.

Ben-Avraham, Z., 1985. Structural Framework of the Gulf of Elat (AQABA), Northern Red Sea. *Journal of Geophysical Research*, **90**, 703-726.

Ben-Avraham, Z., Z. Garfunkel, G. Alagor, and J.K. Hall, 1979. Continental breakup by a leaky transform: The Gulf of Elat (Aqaba). *Science*, **206**, 214-216.

Ben-Menahem, A., and E. Aboodi, 1971. Tectonic patterns in the northern Red Sea region. *Journal of Geophysical Research*, **76**, 2674-2689.

Birch, F. S., and A. J. Halunen Jr., 1966. Heat-flow measurements in the Atlantic Ocean, Indian Ocean, Mediterranean Sea, and Red Sea. *Journal of Geophysical Research*, **71**, 583-586.

Bohannon, R. G., C. W. Naeser, D. L. Schmidt, and R. A. Zimmermann, 1989. The timing of uplift, volcanism, and rifting peripheral to the Red Sea: A case for passive rifting? *Journal Geophysical Research*, 94(B2), 1683-1701.

Bonatti, E., 1985. Punctiform initiation of seafloor spreading in the Red Sea during transition from a continental to an oceanic rift. *Nature*, **316**, 33-37.

Brown, C., and R.W. Girdler, 1982. Structure of the Red Sea at 20 degrees N from gravity data and its implications for continental margins. *Nature*, **298**, 51-53.

Cochran, J. R., J.-M. Gaulier, and X. Le Pichon, 1991. Crustal structure and the mechanism of extension in the northern Red Sea: Constraints from gravity anomalies. *Tectonics*, 10(5), 1018-1037.



Cochran, J. R., 1981. The Gulf of Aden: Structure and Evolution of a Young Ocean Basin and Continental Margin, *Journal of Geophysical Research*, **86**, 263–287.

Cochran, J. R., 2005. Northern Red Sea: Nucleation of an oceanic spreading center within a continental rift, *Geochemistryl Geophysical Geosystems*, **6**, 34 pp.

Dixon, T. H., R. J. Stern, and I. M. Hussein, 1987. Control of Red Sea rift geometry by Precambrian structures. *Tectonics*, **6**, 551–571.

Drake, C.L., and R.W. Girdler, 1964. A geophysical study of the Red Sea. *Geophysical Journal International*, **8**, 473-495.

Girdler, R.W., and T.C. Southren, 1987. Structure and evolution of the northern Red Sea. *Nature*, **330**, 716-721.

Girdler, R.W., and P. Styles, 1974. Two stage Red Sea floor spreading. *Nature*, **247**, 7-11.

Hebert, H., C. Deplus, P. Huchon, K. Khanbari, and L. Audin, 2001. Lithospheric structure of a nascent spreading ridge inferred from gravity data: The western Gulf of Aden. *Journal of Geophysical Research*, **106**, 26345-26363.

Kanasewich, E.R., 1968. Recambrian rift: Genesis of strata-bound ore deposits. *Science*, **161**, 1002-1005.

McKenzie, D.P., D. Davies, and P. Molnar, 1970. Plate techtonics of the Red Sea and East Africa. *Nature*, **226**, 243-248.

Our Geophysics Correspondents, 1969. Red Sea: The teenage ocean. *Nature*, **222**, 9-10.

Ross, D.A., 1977 "Results of recent expeditions to the Red Sea - Chain, Glomar Challenger, and Valdivia expeditions." Red Sea Research 1970-1975. Mineral Resources Bulletin 22-B. 16 pages. Directorate General of Mineral Resources, Jiddah, Saudi Arabia.

Staff of La Recherche, 1977. Red Sea: Sifting the sediment. *Nature*, **267**, 5.

Zimmer, C., 2001. The partitioning of the Red Sea. *Science*, **293**, 627-628.