

Woods Hole Oceanographic Institution

Search

NOSAMS NATIONAL OCEAN SCIENCES
ACCELERATOR MASS SPECTROMETRY

Home About NOSAMS Client Services Education

Research

News Contact

[Research](#)

[Client Research](#)

[Developments](#)

[Research Programs](#)

[Staff & Research](#)

[Marine and Geochronologies](#)

[Global Change Studies](#)

[GEOTRACES](#)

Research Programs

On this page:

[WOCE](#)

[CLIVAR](#)

[Environmental Studies](#)

SHARE TH

World Ocean Circulation Experiment (WOCE)

The facility was initially established in 1989 for analysis of radiocarbon in samples collected during the World Ocean Circulation Experiment (WOCE). Results of these analyses including ancillary information have been regularly reported by NOSAMS to the WOCE principal 14C in Hydrographic Office (WHP). These data are available electronically through the [WHP](#).

For references to publications and reports resulting from this research including access to the original text of final data reports and copies of several grey literature reports see the [Global Ocean Data Analysis Project web pages](#). The "Data and Data Visualizations" section provides graphics as well as downloads of data compilations and mapped fields. Under "Publications" the following two pubs are the most recent work and can be directly downloaded from the site:

Key, R.M., A. Kozyr, C.L. Sabine, K. Lee, R. Wanninkhof, J. Bullister, R.A. Feely, F. Millero, C. Mordy, T.-H. Peng. 2004. A global ocean carbon budget results from GLODAP. Global Biogeochemical Cycles, Vol. 18, GB4031.

Sabine, C. L., R. M. Key, A. Kozyr, R. A. Feely, R. Wanninkhof, F. J. Millero, T.-H. Peng, J. L. Bullister, and K. Lee. 2005. Global Ocean Carbon Budget Results and Data. ORNL/CDIAC-145, NDP-083. Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, Oak Ridge, Tennessee, 110 pp.

Related Files

[DATA REPORT INFORMATION FOR WOCE, Supplemental WOCE and CLIVAR 14C ANALYSES](#)

Climate Variability and Predictability (CLIVAR)

In future years, the program on Climate Variability and Predictability will continue surveys of the distribution of radiocarbon in the ocean. The NOSAMS staff chemist and one of the co-PIs on this proposal, has submitted a proposal to manage collection of samples for radiocarbon analyses to CLIVAR. This proposal was funded to provide approximately 3960 samples over a six-year period beginning in 2004.

[www.clivar.org](#)

Related Multimedia

 VIDEO

[14C in DIC from CLIVAR Sections](#)

Spills of oil and other industrial products derived from fossil fuels can be studied using ^{14}C . The carbon in these products has reservoirs for millions of years. All of the ^{14}C has decayed. When soils and other natural media are analyzed, the presence is signaled by levels of ^{14}C lower than those encountered in unpolluted settings. A salt marsh on Buzzard's Bay, in West Falmouth, Massachusetts, was the site of an oil spill in 1969. Since then, it has provided a laboratory for the long-term study of such spills. Two recent reports linked below describe the role of radiocarbon studies.

In general, ^{14}C serves as a "negative label" for products derived from fossil sources. Tracing experiments using conventional, radiocarbon have high sensitivity, but they require injection of isotopically labeled materials in natural environments. Moreover, the time scale with the injection. If slow, natural processes are to be studied, the experiment must also be very long. Exploitation of the absence of a natural tracer does not suffer from those disadvantages. And, when analyses are tightly focused – on single compounds, or for example – its sensitivity is more than adequate for the exploration of important questions. At WHOI, Timothy Eglinton, Chris R. Reddy, and others are developing these techniques in a project entitled "[Molecular-Isotopic Tools for Environmental Research](#)," funded by the National Science Foundation Division of Chemistry.

Related Links

[Oil Spill Effects Can Persist for Decades from the 2002 Annual Report](#)

[Oil from Spill Lingers in West Falmouth Marsh from Woods Hole Currents](#)

Marine and Geochronologies

Paleoclimatic studies require accurate and precise time scales. Ages less than 40,000 years are usually based on radiocarbon dating of AMS analyses of biologically precipitated calcium carbonate as well as acid-insoluble organic carbon (usually where calcareous fossils are preserved) in paleo studies each year.

Global Change Studies

With each report of AMS results, we ask that investigators send us a list of publications in which they've utilized radiocarbon dating. The PDF-formatted document linked below lists citations we have accumulated since the inception of the facility and while not including work from over 500 individual investigators who have asked us to analyze more than 22,000 samples for a wide variety of global change studies, more than 15,000 seawater DIC samples have been analyzed as part of the WOCE and CLIVAR programs.

GEOTRACES

GEOTRACES is an international program which aims to improve the understanding of biogeochemical cycles and large-scale transport and their isotopes in the marine environment. Scientists from approximately 35 nations have been involved in the program, with major ocean basins over the next decade. Learn More at: www.geotraces.org

Last updated: March 10, 2016

Copyright ©2016 Woods Hole Oceanographic Institution.

All Rights Reserved, [Privacy Policy](#). Problems or questions about the site, please contact webdev@whoi.edu



WHOI is the world's leading non-profit oceanographic research organization.

Our mission is to explore and understand the ocean and to educate scientists, students, decision-makers, and the public.

[Site Map](#)

[Privacy Statement](#)

[Contact](#)

[WHOI Home Page](#)