

AOMIP : References

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)

A

- Aggaard, K., and E. C. Carmack, 1989: The role of sea ice and other fresh water in the Arctic circulation. *J. Geophys. Res.*, 94, 14485-14498.
- Alvarez, A., J. Tintore, G. Holloway, M. Eby, and J. M. Beckers, 1994: Effect of topographic stress on the circulation in the western Mediterranean. *J. Geophys. Res.*, 99, 16053-16064.
- Arakawa, A., 1966: Computational design for long-term numerical integrations of the equations of atmospheric motion. *J. Comput. Phys.*, 1, 119-143.
- Asselin, R., 1972: Frequency filter for time integration. *M. Wea. Rev.*, 100, 487-490.

B

- Becker, P., 1995: The effect of Arctic river hydrological cycles on Arctic Ocean circulation. *Ph.D. Thesis*. Old Dominion University.
- Belkin, I. M., S. Levitus, J. Antonov, S. Malmberg, 1998: Great Salinity Anomalies in the North Atlantic. *Progress in Oceanography*, 41, 1-68.
- Bleck, R., and D.B. Boudra, 1981: Initial testing of a numerical ocean circulation model using a hybrid (quasi-isopycnal) vertical coordinate. *J. Phys. Oceanogr.*, 11, 755-770.
- Bleck, R., C. Rooth, D. Hu, and L.T. Smith, 1992: Salinity-driven thermohaline transients in a wind- and thermohaline-forced isopycnic coordinate model of the North Atlantic. *J. Phys. Oceanogr.*, 22, 1486-1515.
- Blumberg, A.F., and G.L. Mellor, 1987: A description of a three-dimensional coastal ocean circulation model. In: Three-Dimensional Coastal Ocean Models, Coastal and Estuarine Series, ed. Moores, 4, 1-16.
- Box, G.E.P. and G. M. Jenkins, 1970: Time series analysis, forecasting and control. Holden-Day. San Francisco. 553 pp.
- Bryan, K.H., 1969: A numerical method for study of the circulation of the world ocean. *J. Comp. Phys.*, 4, 347-376.
- Bryan, K. and M. D. Cox, 1972: An approximate equation of state for numerical models of the ocean circulation. *J. Phys. Oceanogr.*, 2, 510-514.
- Brydon, D., S. Sun, and R. Bleck, 1999: A new approximation of the equation of state for seawater, suitable for numerical ocean models, *J. Geophys. Res. - Oceans*, 104, 1537-1540.
- Buinitiskii, V. Kh., 1991: Formation and drift of ice cover in the Arctic Basin, In: Trudy dreifuyushechei ekspeditsii Glavsevmorputi nsl/p G. Sedov, 4, Moskva-Leningrad, 12-40., (in Russian).
- Buinitiskii, V. Kh., 1958: Perennial flow of surface water and the general pattern of sea ice drift in the Arctic Basin, In: Nauchnyedoklady vyshei shkoly. Geologicheskko-geograficheskie nauki, 1, 17-31, (in Russian).

C

- Campbell, W. J., 1965: Wind-driven circulation of ice and water in a Polar Ocean, *J. Geophys. Res.*, 70, 3279-3303.
- Carmack, E. C., K. Aggaard, 1996: The dynamic Arctic Ocean: spatial, temporal, and conceptual heterogeneities, Abstract, *EOS, Transactions, AGU*, 76, 3, OS12, 1996.
- Coachman, L. K. and K. Aggaard, 1988: Transports through Bering Strait: annual and inter-annual variability, *J. Geophys. Res.*, 93, 15535-15539.
- Coachman, L. K., K. Aggaard, and R. B. Tripp, 1975: Bering Strait: The Regional Physical Oceanography, Univ. of Washington Press, Seattle, 172 pp.
- Cox, M.D., 1984: A primitive equation three-dimensional model of the ocean. *Tech Report*, 1, GFDL Ocean Group, Princeton University.
- Crutcher, H. L., and J. M. Meserve, 1970: Selected level heights, temperatures and dew points for the northern hemisphere, *NAVAIR Rep.*

50-1C-52, U.S. Nav. Weather Serv. Command, Washington D.C.

Colony, R. L., and I. Rigor, 1989: *Arctic Ocean Buoy Program data report for 1 January 1986 - 31 December 1986*. Applied Physics Laboratory, University of Washington, Seattle.

D

Dement'ev, A. A., 1991: Year-to-year oscillations of air temperature in the Greenland and Norwegian Seas. *Problemy Arktiki and Antarktiki*, 65, 6-13, (in Russian).

Dickson, R. R., J. Meincke, S. A. Malmberg and A. J. Lee, 1988: The Great Salinity Anomaly in the northern North Atlantic, 1968-1982, *Prog. Oceanog.*, 20, 103-151.

Doronin, N. Yu. and Proshutinsky, A. Yu., 1991: Mathematical modeling in studies of Arctic Ocean circulation, in: Proc. Int. Conf. on the Role of the Polar Regions in Global Change, 1, 310-316, Geophysical Institute, University of Alaska Press, Fairbanks.

Drange, H., and K. Simonsen, 1997: Formulation and spin-up of the ESOP2 version of MICOM, *Technical Report 117*, Nansen Environmental and Remote Sensing Center, Bergen, Norway.

Duffy, P. B. and K. Caldeira, 1995: Sensitivity of simulated salinity in a three-dimensional ocean model to upper ocean transport of salt from sea-ice formation. *Geophys. Res. Lett.*, 24, 1323-1326.

DYNAMO group, 1997: DYNAMO: Dynamics of North Atlantic Models: Simulation and assimilation with high resolution models. Report nr. 294, Institut fuer Meereskunde, Kiel, Germany.

E

Ebert, E. E., and J.A. Curry, 1993: An intermediate one-dimensional thermodynamical sea ice model for investigating ice-atmosphere interactions. *J. Geophys. Res.*, 98, 10,085-10,109.

England, M. H., 1993: Representing the global-scale water masses in ocean general-circulation models, *J. Phys. Oceanogr.*, 23, 1523-1552.

Englebretson, R. E. and J. E. Walsh, 1989: Fram Strait ice flux calculations and associated Arctic sea ice conditions, *Geojournal*, 18,61-67.

Environmental Working Group (EWG) 1997: Joint U.S. - Russian Atlas of the Arctic Ocean: Oceanography Atlas for the Winter Period [CD-ROM]. Natl. Snow and Ice Data Cent., Boulder, Colorado.

Environmental Working Group (EWG), 1998: Joint U.S. - Russian Atlas of the Arctic Ocean: Oceanography Atlas for the Summer Period [CD-ROM]. Natl. Snow and Ice Data Cent., Boulder, Colorado.

Environmental Working Group (EWG), 2000: Joint U.S. - Russian Arctic Atlas: The Arctic Climatology Project: Arctic Meteorology and Climate Atlas [CD-ROM]. Natl. Snow and Ice Data Cent., Boulder, Colorado.

F

Fel'zenbaum, A. I., 1958: Theory of steady-state ice drift and calculation of multi-year averaged ice drift in the Central Arctic Basin, *Problemy Severa*, 2, 16-47, (in Russian).

Flato, G.M., and W.D. Hibler, 1992: Modeling pack ice as a cavitating fluid. *J. Phys. Oceanogr.*, 22, 626-651.

Flato, G.M., 1994: Documentation for the Multi-Category Particle-in-Cell Sea Ice Model (McPIC). *Canadian Tech. Rep. of Hydrography and Ocean Sciences*, No.158, DFO, IOS, Sidney, BC, 74 pp.

Fleming, G. H., and A. J. Semtner, 1991: A numerical study of inter-annual ocean forcing on Arctic ice. *J. Geophys. Res.*, 96, 4589-4604.

G

Gaspar, P., 1988: Modeling the seasonal cycle of the upper ocean, *J. Phys. Oceanogr.*, 18, 161-180.

Galt, J. A., 1973: Numerical Investigation of the Arctic Ocean Dynamics, *J. Phys. Oceanography*, 3, 379-396.

Gazova, L. A. and Ponomarev V. I., 1983: Simulation of the Atlantic Water propagation in the Arctic Basin, *Meteorologia and Gidrologia*, 1, 17-25, (in Russian).

Gent, P. R. and J. C. McWilliams, 1990: Isopycnal mixing in ocean circulation models. *J. Phys. Oceanogr.*, 20, 150-155.

Gill, A.E., 1982: *Atmosphere-Ocean Dynamics*. Academic Press, New York, 662 pp.

Gloersen, P., W. J. Campbell, D. J. Cavalieri, J. C. Comiso, C. L. Parkinson, H. J. Zwally, 1992: Arctic and Antarctic sea ice, 1978--1987: Satellite passive-microwave observations and analysis, Scientific and Technical Information Program, National Aeronautics and Space Administration, Washington, D.C., 290 pp.

Gorshkov, S. G., 1980: Atlas of Oceans: Arctic Ocean. Moscow, *Military Defense Publishing House*, 199 pp., (in Russian).

Gordienko, P. A. and D. B. Karelin, 1945: Problems of the motion and distribution of ice in the Arctic Basin. *Problemy Arktiki*, 3, (25-38, (in Russian)).

Goodrich, L. E., 1976: A numerical model for assessing the influence of snow cover on the ground thermal regime. *Ph.D. Thesis*, McGill University, Montreal, 410 pp.

Goodrich, L. E., 1982: The influence of snow cover on the ground thermal regime. *Canadian Geotechnical Journal*, 19, 421-432.

Gudkovich, Z. M., 1961a: Relation of the ice drift in the Arctic Basin to ice conditions in Soviet Arctic seas. *Trudy okeanographicheskoi komissii*, 11, 14-21, (in Russian).

Gudkovich, Z. M., 1961b: On the nature of Pacific currents in the Bering Strait and the causes of seasonal variations in their intensity. *Okeanologiya*, 1, 608-612, (in Russian).

Gudkovich, Z. M. and E. G. Nikiforov, 1965: Investigation of water circulation in the Arctic Basin using a model. *Okeanologiya*, 5, 75-83, (in Russian).

H

Hahn, C.J., S.G. Warren and J. London, 1994: Climatological Data for Clouds Over the Globe from Surface Observations, 1982-1991: The Total Cloud Edition. NDP-026A, Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, Oak Ridge, Tennessee.

Haidvogel, D.B., J.L. Wilkin, and R.E. Young, 1991: A semi-spectral primitive equation ocean circulation model using vertical sigma and orthogonal curvilinear horizontal coordinates. *J. Comp. Phys.*, 94, 151-185.

Haining, R., 1990: Spatial data analysis in the social and environmental sciences. Cambridge University Press, Cambridge, 409 pp.

Harder, M., 1996: Dynamik, Rauigkeit und Alter des Meereises in der Arktis. PhD thesis, Alfred-Wegener-Institut für Polar- und Meeresforschung, Bremerhaven, Germany.

Hart, J. E., 1975: The flow of two layer fluid over topography in a Polar Ocean. *J. Phys. Oceanogr.*, 5, 678-685.

Hansen, D. V. and H. F. Bezdek, 1996: On the nature of decadal anomalies in North Atlantic sea surface temperature. *J. Geophys. Res.*, 101, 8749-8758.

Hakkinen, S., 1993: An Arctic source for the Great Salinity anomaly: assimilation of the Arctic ice ocean system for 1955-1975. *J. Geophys. Res.*, 98, 16397- 16410.

Hakkinen, S., 1995: Simulated inter-annual variability of the Greenland Sea deep water formation and its connection to surface forcing, *J. Geophys. Res.*, 100, 4761-4770.

Hakkinen, S., 1999: A simulation of thermohaline effects of a Great Salinity Anomaly. *Journal of Climate*, 12, 1781-1795.

Hakkinen, S., and G. L. Mellor, 1992: Modeling the seasonal variability of the coupled Arctic ice-ocean system. *J. Geophys. Res.*, 97, 20285-20304.

Hibler, W. D., 1979: A dynamic thermodynamic sea-ice model, *J. Phys. Oceanogr.*, 9, 815-846.

Hibler, W.D., 1980: Modeling a variable thickness sea ice cover. *Mon. Wea. Rev.*, 108, 1943-1973.

Hibler, W. D., and K. Bryan, 1987: A diagnostic ice-ocean model. *J. Phys. Oceanogr.*, 17, 987-1015.

Higdon, R.L., and A.F. Bennett, 1996: Stability analysis of operator splitting for large-scale ocean modeling. *J. Comp. Phys.*, 123, 311-329.

Holland, D.M., 2000: Merged IBCAO/ETOPO5 Global Topographic Data Product. National Geophysical Data Center (NGDC), Boulder, Colorado. <http://www.ngdc.noaa.gov/mgg/bathymetry/arctic/ibcaorelatedsites.html>.

Holland, D. M., L. A. Mysak, D. K. Manak, and J. M. Oberhuber, 1993: Sensitivity study of a dynamic thermodynamic sea ice model. *J. Geophys. Res. - Oceans*, 98, 2561-2586.

Holland, D. M., R. G. Ingram, L. A. Mysak, and J. M. Oberhuber, 1995: A numerical simulation of the sea-ice cover in the northern Greenland Sea. *J. Geophys. Res. - Oceans*, 100, 4751-4760, 1995.

Holland, D. M., H. Cattle, and L. A. Mysak, 1995: Numerical simulation of interannual variability of Arctic sea-ice and ocean circulation. In: Abstracts, IAPSO, XX1 General Assembly, Honolulu, Hawaii, 49.

Holland, D. M., L. A. Mysak, and J. M. Oberhuber, 1996: An investigation of the general circulation of the Arctic Ocean using an isopycnal model. *Tellus Ser. A*, 48, 138-157, 1996.

Holland, D. M., L. A. Mysak, and J. M. Oberhuber, 1996: Simulation of the mixed-layer circulation in the Arctic Ocean. *J. Geophys. Res. - Oceans*, 101, 1111-1128.

Holland, D. M. and A. Jenkins, 1999: Modeling thermodynamic ice ocean interactions at the base of an ice shelf, *J. Phys. Oceanogr.*, 29, 1787-1800.

Holland, D.M., and A. Jenkins, 2001: Adaptation of an isopycnic coordinate ocean model for the study of circulation beneath ice shelves. *Mon. Wea. Rev.*, 129, 1905-1927.

Hushchke, R. E., 1969: Arctic cloud statistics from 'air-calibrated' surface weather observations. *Memo. RM-6173-PR*, Rand Corp., Santa Monica, Calif., 79 pp.

I

IBCAO, 2001: International Bathymetric Chart of the Arctic Ocean. <http://www.ngdc.noaa.gov/mgg/bathymetry/arctic/arctic.html>

J

Jenkins, A., H.H. Hellmer, and D.M. Holland, 2001: The role of meltwater advection in the formulation of conservative boundary conditions at an ice-ocean interface. *J. Phys. Oceanogr.*, 31, 285-296.

K

Kalnay, E., M. Kanamitsu, R. Kistler, W. Collins, D. Deaven, L. Gandin, M. Iredell, S. Saha, G. White, J. Woollen, Y. Zhu, A. Leetmaa, R. Reynolds, M. Chelliah, W. Ebisuzaki, W. Higgins, J. Janowiak, K. C. Mo, C. Ropelewski, J. Wang, R. Jenne, D. Joseph, 1996: The NCEP/NCAR 40-Year Reanalysis Project. *Bull. Amer. Met. Soc.*, 77, 437-471.

Kidwell, K.B., and Poltar, D.R., 1988: International Satellite Cloud Climatology Project (ISCCP). U.S. Dept. Commerce, NOAA, Suitland, MD, available online at <http://www2.ncdc.noaa.gov/docs/isccp/intro.htm>.

Kistler, R., E. Kalnay, W. Collins, S. Saha, G. White, J. Woollen, M. Chelliah, W. Ebisuzaki, M. Kanamitsu, V. Kousky, H. van den Dool, R. Jenne, M. Fiorino, 2001: The NCEP-NCAR 50-year reanalysis: Monthly means CD-ROM and documentation. *Bull. Amer. Met. Soc.*, 82, 247-267.

Kowalik Z., A. Yu. Proshutinsky, 1993: Diurnal tides in the Arctic Ocean. *J. Geophys. Res.*, 98, 16,449-16,468.

Kuipers, J.B., 1999: Quaternions and rotation sequences: A primer with applications to orbits, aerospace, and virtual reality. Princeton University Press, Princeton, New Jersey, 371 pp.

Kwok, R. and D. A. Rothrock, 1999: Variability of Fram Strait ice flux and North Atlantic Oscillation. *J. Geophys. Res.*, 104, 5177-5189.

L

Lammers, R.B., Shiklomanov, A.I. (compilers), 2000: [R-ArcticNet](#), A Regional Hydrographic Data Network for the Pan-Arctic Region. Durham, NH, Water Systems Analysis Group, University of New Hampshire; distributed by the National Snow and Ice Data Center. [CD-ROM].

Ledwell, J. R., A. J. Watson, and C. S. Law, 1993: Evidence for slow mixing across the pycnocline from an open-ocean tracer release experiment, *Nature*, 364, 701-703.

Legates, D. R. and C. J. Willmott, 1990: Mean seasonal and spatial variability in gauge-corrected, global precipitation. *Int. J. Clim.*, 10, 111-127.

Lemke, P. 1997: World Climate Research Programme: Arctic Climate System Study (ACSYS). *Report of the Second ACSYS Sea-Ice/Ocean Modelling Workshop*, Bremerhaven, Germany, 36 pp.

Levitus, S., 1982: Climatological Atlas of the World Ocean, *NOAA Prof. Rep.*, 13, NOAA, Washington, D.C.

M

Martin, S., and E. A. Minoz, 1997: Properties of the Arctic 2-meter air temperature field for 1979 to the present derived from a new gridded dataset, *J. Climate*, 10, 1428-1440.

Maslanik, J. A., M. C. Serreze, H. J. Maybee, 1996a: Interannual variability in an Arctic sea-ice simulation: relationships between atmospheric circulation and ice anomalies in the Greenland Sea. (submitted *Atmosphere-Ocean*).

Maslanik, J. A., M. C. Serresz, and R. G. Barry, 1996b: Recent decrease in summer Arctic ice cover and linkages to anomalies in atmospheric circulation. (submitted *Geophys. Res. Lett.*, 1996b).

Maykut, G. A. and N. Untersteiner, 1971: Some results from a time dependent thermodynamic model of sea ice. *J. Geophys. Res.*, 76, 1550-1575.

McDougall, T.J., Neutral Surfaces, 1987: *J. Phys. Oceanogr.*, 17, 1950-1964.

McDougall, T.J., and W.K. Dewar, 1998: Vertical mixing and cabbeling in layered models. *J. Phys. Oceanogr.*, 28, 1458-1480.

Mellor, G.L, S. Hakkinen, T. Ezer, and R. Pazan, 1999: A generalization of a sigma coordinate ocean model and an intercomparison of model vertical grids. (submitted 'OceanForecasting: Theory and Practice', Springer Pub., N. Pinardi (Ed.)).

Mellor, G. L. and Kantha, L. H., 1989: An ice-ocean coupled model, *J. Geophys. Res.*, 94, 10937-10954.

Mellor, G. L., T. Ezer, and L. Y. Oey, 1994: The gradient conundrum of sigma coordinate ocean models. *J. Atmos. Ocean. Tech.*, 11, 1126-1134.

Mellor, G.L., M.G. McPhee and M. Steele, 1986: Sea ice-water turbulent boundary layer interaction with melting or freezing. *J. Geophys. Res.*, 16, 1829-1846.

Middtun, L., H. Loeng, 1991: Climatic variations in the Barents Sea. In: Proc. Int. Conf. on the Role of the Polar Regions in Global Change, 1, , Geophysical Institute, University of Alaska Press, Fairbanks, 176-191.

Millero, F. J., 1978: Annex 6, freezing point of seawater. *Unesco Tech. Papers in the Marine Sciences*, 28, 29-35.

Millero, F. J., C. T. Chen, A. Bradshaw, and K. Schleicher, 1980: A new high pressure equation of state for seawater. *Deep Sea Res.*, 27, 255-264.

Morley, R. and M. Steele, 1999: The Polar Science Center Hydrographic Climatology (PHC), a global physical oceanographic atlas. Available at <http://psc.apl.washington.edu/Climatology.html>.

Morison, J. E., 1996: Changes in upper ocean hydrography measured during the 1993 cruise of the USS Pargo. Abstract, *EOS, Transactions, AGU*, 76, 3, OS12.

Morison, J. H., K. Aagaard, and M. Steele, 2000: Recent environmental changes in the Arctic: A review. *Arctic*, 53, 359-371.

Moore, S. E., J. G. George, K. O. Coyle and T. J. Weingartner, 1995: Bowhead whales along the Chukotka coast in autumn. *Arctic*, 48, 155-160.

Mysak, L. A., 1995: Interdecadal variability in the Arctic and Northern North Atlantic: Observations and models. In: Abstracts, IAPSO, XX1 General Assembly, Honolulu, Hawaii, 49.

Mysak, L. A., D. K. Manak and R. F. Marsden, 1990: Sea ice anomalies observed in the Greenland and Labrador Seas during 1901-1984 and their relation to an interdecadal Arctic climate cycle. *Climate Dynamics*, 5, 111-133.

Mysak, L.A., R.G. Ingram, J. Wang and A. van der Baaren, 1996: The anomalous ice extent in Hudson Bay, Baffin Bay and the Labrador Sea during three simultaneous NAO and ENSO episodes of 1972/72, 1982/83 and 1991/92. *Atmosphere-Ocean*, 314-334.

N

Nakamura, N. and A. H. Oort, 1988: Atmospheric heat budgets of the polar regions. *J. Geophys. Res.*, 93, 9510-9524, 1988.

Nansen, F. (ed.), 1902: The oceanography of the north polar basin. The Norwegian North Polar Expedition, 1893-1896, Scientific Results, Publ. by Longmans, Green and Co., 3, 422 p.

National Center for Atmospheric Research (NCAR), 1990: Compact disk of the National Meteorological Center Grid Point Data Set: Version II. General Information and user's guide. NCAR, Boulder, Colorado, 9 pp.

NGDC, 1987: Five minute gridded world elevations and bathymetry (ETOPO5). National Geophysical Data Center, Boulder Colorado, <http://www.ngdc.noaa.gov/mgg/index.html>

National Snow and Ice Data Center, 1989: DMSP SSM/I brightness temperatures and sea ice concentrations grids for the Polar Regions, 1987 - Digital data available from nsidc@kryos.colorado.edu. Boulder, Colorado: NSIDC Distributed Active Archive Center, University of Colorado at Boulder.

Nazarenko, L., G. Holloway and N. Tausnev, 1998: Dynamics of transport of Atlantic signature in the Arctic Ocean. *J. Geophys. Res.*, 103, 31003-31015.

Nikiforov, Ye. G. and A. O. Shpayher, 1980: Features of the formation of hydrological regime large-scale variations in the Arctic Ocean, *Gidrometeoizdat*, Leningrad, 269 pp. (in Russian).

Nikiforov, Ye. G., V. F. Romanov and V. A. Romantsov, 1989: Main results, problems and prospects of instrumental and theoretical studies of ocean and atmosphere in the North-European basin. *Problemy Arktiki and Antarktiki*, 64, 6-23, (in Russian).

O

Oberhuber, J. M., 1993: Simulation of the Atlantic circulation with a coupled sea ice - mixed layer - isopycnic general circulation model. Part 1: Model description. *J. Phys. Oceanogr.*, 23, 808-829.

Oberhuber, J. M., D. M. Holland and L. A. Mysak, 1993: A thermodynamic-dynamic snow sea-ice model. In Ice in the Climate System. NATO ASI Series I: Global Environmental Change, W.R.Peltier, ed., 653-673.

P

Parkinson, C.L. and W.M. Washington, 1979: A large scale numerical model of sea ice. *J. Geophys. Res.*, 84, 311-337, 1979.

Parkinson, C. L. 1992: Spatial patterns of increases and decreases in the length of the sea ice season in the north polar region. *J. Geophys. Res.*, 97, 14377-14388.

Parkinson, C. L. and Cavalieri, D. J., 1989: Arctic sea ice 1973-1987: seasonal, regional, and interannual variability. *J. Geophys. Res.*, 94, 14499-14523.

Piacsek, S. R. Allard, and A. Warn-Varnas, 1991: Studies of the Arctic ice cover and upper ocean with a coupled ice-ocean model. *J. Geophys. Res.*, 96, 4631-4650.

Polyakov, I. V., Kulakov, I. Yu., Kolesov, S.A., Naumov, A.K., N. Eu. Dmitriev, 1994: Coupled ice-ocean dynamics model of the Kara Sea. Tech. Rep., 4-Ya-94, AMOCO, AARI, 194 pp.

Polzin, K. L., J. M. Toole, J. R. Ledwell, and R. W. Schmitt, 1997: Spatial variability of turbulent mixing in the abyssal ocean. *Science*, 276, 93-96.

Ponomarev, V. I., 1977: Calculations of large-scale water circulation in the Arctic Basin using diagnostic model, *Problemy Arktiki i Antarktiki*, 51, 65-75, (in Russian).

Ponomarev, V. I. and A. I. Fel'zenbaum, 1975: 2-D non-stationary model of wind driven circulation in the Arctic Basin, *Okeanologia*, XV(6), 17-23, (in Russian).

Prange, M., 2002: Einfluss arktischer S"u"swasserquellen auf die Zirkulation im Nordmeer und im Nordatlantik in einem prognostischen Ozean-Meereis-Modell. Ph.D. thesis, University of Bremen, Bremen, Germany.

Prange, M., and G. Lohmann, 2001: Variable freshwater input to the Arctic Ocean during the Holocene: Implications for large-scale ocean-sea ice dynamics as simulated by a circulation model. To appear in "The KIHZ project: towards a synthesis of Holocene proxy data and climate models", H. Fischer et al. (eds.), Springer-Verlag.

Proshutinsky, A. Y., 1986: On the problem of calculating the storm surge fluctuations of sea level and water circulation in the Chukchi Sea. *Soviet Meteorology and Hydrology*, 1. Translated from Russian by Allerton Press, Inc., 54-61.

Proshutinsky, A. Y., 1988: Modeling seasonal fluctuations of the level of the Arctic Ocean. *Soviet Meteorology and Hydrology*, 2. Translated from Russian by Allerton Press., Inc., 57-65, 1988.

Proshutinsky, A. Y., 1993: The Arctic Ocean level oscillations. *Gydrometeoizdat*, 216 pp., (in Russian).

Proshutinsky, A. and M.A. Johnson, 1996: Two regimes of Arctic Ocean circulation from ocean models and observations, 1996 Ocean Sciences Meeting, AGU, EOS, 76, 3, OS31.

Proshutinsky, A. and M.A. Johnson, 1997: Two circulation regimes of the wind driven Arctic Ocean. *J. Geophys. Res.*, 102, 12493-12514.

Proshutinsky, A., V. Pavlov, R. Bourke, 2001: Sea level rise in the Arctic Ocean. *Geophys. Res. Lett.*, 28, 2237-2240.

Q R

Riedlinger, S. H., and R. H. Preller, 1991: The development of a coupled ice-ocean model for forecasting ice conditions in the Arctic. *J. Geophys. Res.*, 96, 16,955-16,977.

Rigor, I. G., R. Colony, S. Martin, and E. Minoz, 1997: Statistics of surface air temperature observations in the Arctic. (submitted *J. Climate*).

Roach, A. T., K. Aagaard, C. H. Pease, S. A. Salo, T. Weingartner, V. Pavlov, and M. Kulakov, Direct measurements of transport and water properties through the Bering Strait, *J. Geophys. Res.*, 100, 18443-18457.

Roberts, M. J., R. Marsh, A.L. New, and R.A. Wood, 1996: An intercomparison of a Bryan-Cox type ocean model and an isopycnic oceanmodel. Part 1: The subpolar and high-latitude processes. *J. Phys. Oceanogr.*, 26, 1495-1527.

Roeske, F, 2001: An atlas of surface fluxes based on the ECMWF re-analysis - A climatological dataset to force global ocean general circulation models. Max Planck-Institut fur Meteorologie, Report 323, 31 pp.

Roeske, F., 2002: The OMIP forcing - the second version. <http://www.omip.zmaw.de/omip.php>

Romanov, I. P., 1992: The Ice Cover of the Arctic Basin. St. Petersburg, The Arctic and Antarctic Research Institute publication, 211 pp. (in Russian).

Romanov, I. P., 1993: Atlas, morphometric characteristics of ice and snow in the Arctic Basin. S. Petersburg, Russia, 152 pp.

Rosati, A., and K. Miyakoda, 1988: A general-circulation model for upper-ocean simulation. *J. Phys. Oceanogr.*, 18, 1601-1626.

Rothrock, D. A., 1975: The mechanical behavior of pack ice, *Annual Review of Earth Planetary Sciences*, 3, 317-342.

Rudels, B., E. P. Jones, L. G. Anderson, and G. Kattner, 1994: On the intermediate depth waters of the Arctic ocean. In: The polar oceans and their role in shaping the global environment, Editors: O. M. Johannessen, R. D. Muench, J. E. Overland, AGU, 33-45.

S

Sadourny, R., The dynamics of finite-difference models of the shallow-water equations. *J. Atmos. Sci.*, 32, 680-689.

Semtner, A. J., 1976: Numerical simulation of the Arctic Ocean circulation, *J. Phys. Oceanogr.*, 17, 1077-1099.

Semtner, A. J., 1987: A numerical study of sea-ice and ocean circulation, *J. Phys. Oceanogr.*, 6, 409-425.

Serreze, M.C., J.A. Maslanik, R. G. Barry and T.L. Demaria, 1996: Winter atmospheric circulation in the Arctic Basin and possible relationships to the Great Salinity Anomaly in the Northern North Atlantic, *Geophys. Res. Lett.*, 19, 293-296.

Serreze, M. C. and C. M. Hurst, 2000: Representation of mean Arctic precipitation from NCEP-NCAR and ERA reanalyses. *J. Climate*, 13, 182-201.

Schell, D. M. and S. M. Saupe, 1993: Feeding and growth as indicated by stable isotopes. In: Burns, J. J., Montague, J. J. and Cowl, C. D. eds. The bowhead whale. *Special Publication Number 2*, The Society for Marine Mammalogy, Lawrence, Kansas: Allen Press, Inc., 491-509.

Shirshov, P. P., 1994: Scientific results of the drift of the Severnyi Polyus station. Report delivered at the General Assembly of the USSR Academy of Sciences on 14-17 Feb. 1944, Moskva, Izdatel'stvo Akademii Nauk SSSR, 110-140, (in Russian).

Shokal'skii, Yu. M., 1940: The G. Sedov, its drift, and the Geography of the Arctic Basin. *Problemy Arktiki*, 2, 34-38, (in Russian).

Shuleikin, V. V., 1941: Analysis of the drift of Severnyi Polyus station. *DAN SSSR*, 31, 886-892, (in Russian).

Smolarkiewicz, P.K., 1984: A fully multidimensional positive definite advection scheme with small implicit diffusion. *J. Comp. Phys.*, 54, 325-362.

Song, Y. and D.B. Haidvogel, 1994: A semi-implicit ocean circulation model using a generalized topography-following coordinate. *J. Comp. Phys.*, 115, 228-244.

Steele, M., D. Thomas, D. Rothrock and S. Martin, 1996: A simple model study of the Arctic Ocean fresh water balance, 1979-1985. *J. Geophys. Res.*, 101, 20833-20848.

Steele, M., W. Ermold, S. Häkkinen, D. Holland, G. Holloway, M. Karcher, F. Kauker, W. Maslowski, N. Steiner, and J. Zhang, 2001: Adrift in the Beaufort Gyre: A model intercomparison. *Geophys. Res. Lett.*, 28, 2935-2838.

Steele, M., R. Morley, and W. Ermold, 2001: PHC: A global ocean hydrography with a high quality Arctic Ocean. *J. Climate*, 14, 2079-2087.

T

Thompson, D. W. J. and J. M. Wallace, 1998: The Arctic Oscillation signature in the wintertime geopotential height and temperature fields. *Geophys. Res. Lett.*, 25, 1297-1300.

Thondike, A. S., R. Colony, E. A. Munoz, 1982: Arctic Ocean Buoy program. *Data report, 1 January 1982-31, December 1982*, Polar Science Center, University of Washington, 132 pp.

Timofeev, V. T., 1961: Water masses of the Arctic Basin. A translation by L. K. Coachmen, *Reference M61-17*, June 1961, Department of Oceanography University of Washington, Seattle, Washington, 190 pp.

Treshnikov, A. F., 1959: Surface water in the Arctic Basin. *Problemy Arktiki*, 7, 5-14, (in Russian).

Treshnikov, A. F., and Baranov 1973: Water circulation in the Arctic Basin, *Gidrometeoizdat*, Leningrad. Translated from Russian, Jerusalem, 145 pp.

Treshnikov, A. F., and Baranov, 1976: Structure of water circulation and dynamics of water budget in the northern polar region. *Problemy Arktiki i Antarktiki*, 47, 93-100, (in Russian).

Treshnikov, A. F., et al., 1976: Climatic trends in a dynamics of surface ice and water circulation in Amerasian subbasin (based on data obtained in 1949-1973). *Problemy Arktiki i Antarktiki*, 47, 74-91, (in Russian).

U V

Vinje, T., N. Nordlund, and A. Kvambekk, 1998: Monitoring ice thickness in Fram Strait, *J. Geophys. Res.*, 103, 10437-10449.

Vorosmarty, C.J., B. Fekete, and B.A. Tucker, 1999: River Discharge Database, Version 1.1 (RivDIS V1.0 supplement). Available through the [Institute for the Study of Earth, Oceans, and Space](#), University of New Hampshire, Durham NH (USA).

W

Walsh, J. E. and C. M. Johnson, 1979: An analysis of Arctic sea ice in the Arctic basin and changes in ice fluctuations, 1953-1977. *J. Phys. Oceanogr.*, 9, 580-591.

Walsh, J. E., W. D., Hibler, and B. Ross, 1985: Numerical simulation of Northern Hemisphere sea ice variability, 1951-1980. *J. Geophys. Res.*, 90, 4847-4865.

Walsh, J. E., and W. L., Chapman, Arctic contribution to upper-ocean variability in the North Atlantic. *J. Climate*, 3, 1462-1473.

Walsh, J. E., W. L. Chapman and T. L. Shy, 1996: Recent decrease of sea level pressure in the Central Arctic. *J. Climate*, 9, 480-486.

Wang, J. A. van der Baaren and L.A. Mysak, 1995: A principal component (EOF) analysis of gridded data of sea-level pressure, surface air temperature and sea-ice concentration of Arctic region, 1953-1993. *C2GRC Report 95-4*, Climate Change and Global Research Centre, McGill University, Montreal, 18 pp. and figures and source programs.

Wang, J., L.A. Mysak and R.G. Ingram, 1994a: A three-dimensional numerical simulation of Hudson Bay summer ocean circulation. *J. Phys. Oceanogr.*, 24, 2496-2514.

Wang, J., L.A. Mysak and R.G. Ingram, 1994b: A numerical simulation of sea icecover in Hudson Bay. *J. Phys. Oceanogr.*, 24, 2515-2533.

Wang, J. and M. Ikeda, 1997. Diagnosing ocean unstable baroclinic waves and meanders using quasi-geostrophic equations and Q-vector method. *J. Phys. Oceanogr.*, 27, 1158-1172.

Wang, J. and C.N.K. Mooers, 1997: Three-dimensional perspectives of the Florida Current: transport, potential vorticity, and related dynamical properties. *Dyn. Atmos. and Oceans*, 27, 135-149.

Willebrand, J., B. Barnier, C.Boening, C.Dieterich, P.Killworth, C. LeProvost, Y. Jia, J. M. Molines, and A. L. New, 2000: Circulation characteristics in three eddy-permitting models of the North Atlantic. (submitted *Prog. Oceanogr.*).

X

Xie, P.P., and P.A. Arkin, 1996: Analyses of global monthly precipitation using gauge observations, satellite estimates, and numerical model predictions. *Journal of Climate*, 9, 840-858.

Xie, P.P. and P.A. Arkin, 1997: Global Precipitation: A 17-year monthly analysis based on gauge observations, satellite estimates, and numerical model outputs. *Bull. Amer. Met. Soc.*, 78, 2539-2558.

Y

Yang, D., 1999: An improved precipitation climatology for the Arctic Ocean. *Geophys. Res. Lett.*, 26, 1625-1628.

Z

Zhang, J., and W.D. Hibler, 1997: On an efficient numerical method for modeling sea ice dynamics. *J. Geophys. Res.*, 102, 8691-8702.

Zhang, J., W.D. Hibler, M. Steele, and D.A. Rothrock, 1998a: Arctic ice-ocean modeling with and without climate restoring. *J. Phys. Oceanogr.*, 28, 191-217.

Zhang, J., D.A. Rothrock, and M. Steele, 1998b: Warming of the Arctic Ocean by a strengthened Atlantic inflow: Model results. *Geophys. Res. Lett.*, 25, 1745-1748.

Zhang, J., D.A. Rothrock, and M. Steele, 2000: Recent changes in Arctic sea ice: The interplay between ice dynamics and thermodynamics. *J. Climate.*, 13, 3099-3114

Zillman, J.W., 1972: A study of some aspects of the radiation and heat budgets of the southern hemisphere oceans. *Meteorol. Stud.*, 26, Bur of Meteor., Dep. of the Interior, Canberra, Australia, 562 pp.

Zubov, N. N. and M. M. Somov, 1940: Ice drift in the Northern Arctic Basin. *Problemy Arktiki*, 2, 51-68, (in Russian).

Last updated: July 11, 2012

Copyright ©2007 Woods Hole Oceanographic Institution, All Rights Reserved.

Mail: Woods Hole Oceanographic Institution, 266 Woods Hole Road, Woods Hole, MA 02543, USA.

E-Contact: info@whoi.edu; press relations: media@whoi.edu, tel. (508) 457-2000

Problems or questions about the site, please contact webdev@whoi.edu