

Publications related to the WHOI Sea Floor Samples Laboratory

[Note: This list is not comprehensive. It represents only a partial list of publications that resulted from samples taken from the collection. A more complete bibliography is in process. In time all references will be linked directly to the samples in the collection to which they refer via SC2000]

- Adkins, J.F., E.A. Boyle, L. Keigwin, and E. Cortijo (1997) Variability of the North Atlantic thermohaline circulation during the last interglacial period, *Nature* 390: 154-156.
- Adkins, J., H. Cheng, E.A. Boyle, E.R.M. Druffel and R.L. Edwards (1998) Deep-Sea Coral Evidence for Rapid Change in Ventilation of the Deep North Atlantic at 15.4 ka, *Science* 280:725-728.
- Adkins, J.F. and E.A. Boyle (1999), Age screening of deep-sea corals and the record of deep North Atlantic circulation change at 15.4 ka, in: *Reconstructing Ocean History: A Window into the Future*, eds. F. Abrantes and A. Mix, Kluwer/Plenum, New York, pp. 103-120.
- Baker, Paul A., Seltzer, G. O. et al [2000] The history of South American climate for the past 25,000 years from the sedimentary record of Lake Titicaca , Submitted to *Science*.
- Boyle, E.A. and Keigwin, L., 1987. North Atlantic thermohaline circulation during the past 20,000 years linked to high-latitude surface temperature, *Nature*, v. 330, p. 35-40.
- Boyle, E.A. and Keigwin, L.D., 1982. Deep circulation of the North Atlantic over the last 200,000 years: geochemical evidence, *Science*, v. 218, p. 784-787.
- Boyle, E.A. (1983) Manganese carbonate overgrowths on foraminifera tests, *Geochim. Cosmochim. Acta*, 47:1815-1819.
- Boyle, E.A. and Keigwin, L.D., 1985. Comparison of Atlantic and Pacific paleochemical records for the last 250,000 years: changes in deep ocean circulation and chemical inventories, *Earth and Planet. Sci. Lett.*, v. 76, 135-150.
- Boyle, E.A. (1984) Cadmium in Benthic Foraminifera and Abyssal hydrography: Evidence for a 41 kyr. Obliquity cycle, in: *Climate Processes and Climate Sensitivity*, (eds. T. Takahashi and J. Hansen), American Geophysical Union Maurice Ewing Series No. 5., *Geophysical Monograph*, 29:360-368.
- Boyle, E.A., Sampling statistic limitations on benthic foraminifera chemical and isotopic data (1984) *Marine Geology*, 58:213-224.
- Boyle, E.A. and L.D. Keigwin (1985/6) A Comparison of Paleochemical Records from the North Atlantic and North Pacific Ocean: Changes in Deep Ocean Circulation and Chemical Inventories, *Earth Planet. Sci. Lett.*, 76:135-150.
- Boyle, E.A. (1986) Paired Cd and $\delta^{13}\text{C}$ data from benthic foraminifera: implications for ocean circulation, phosphorus, and atmospheric CO_2 , *Geochim. Cosmochim. Acta.*, 50:265-276.

- Boyle, E.A. (1986) Deep-ocean circulation, preformed nutrients, and atmospheric carbon dioxide: theories and evidence from oceanic sediments, in: *Mesozoic and Cenozoic Oceans* (ed. K.J. Hsu), American Geophysical Union, Geodynamics Series 15:49-59
- Boyle, E.A. (1988) The role of vertical chemical fractionation in controlling late Quaternary atmospheric carbon dioxide, *J.Geophys.Res.*93:15701-15714.
- Boyle, E.A. (1990) Quaternary deep water paleoceanography, *Science* 249:863-870.
- Boyle, E.A. and P. Rosener (1990) Further evidence for a link between Late Pleistocene North Atlantic surface temperatures and North Atlantic Deep Water Production, *Paleoclimatol. Paleogeog. Paleocol. (Global and Planetary Change)* 89: 113-124.
- Boyle, E.A. (1992) Cadmium and $\delta^{13}C$ paleochemical ocean distributions during the stage 2 glacial maximum, *Ann. Rev. Earth Planet. Sci.* 20:245-287.
- Boyle, E.A. (1994) A comparison of carbon isotopes and cadmium in the modern and glacial maximum ocean: can we account for the discrepancies?, in *Carbon Cycling in the Glacial Ocean: Constraints on the Ocean's Role in Global Change* (eds. R. Zahn, T.F. Pedersen, M.A. Kaminski, and L. Labeyrie), NATO ASI Series, Vol. 17, Springer-Verlag, Berlin, p. 167-194.
- Boyle, E.A. (1995) Limits on Benthic Foraminiferal Chemical Analyses as Precise Measures of Environmental Properties, *J. Foram. Res.*25:4-13.
- Boyle, E.A. (1995) Last glacial maximum North Atlantic deep water: on, off, or somewhere in-between?, *Phil. Trans. R. Soc. Lond. B* 348:243-253.
- Boyle, E. A. and Y. Rosenthal (1996) Chemical hydrography of the South Atlantic during the last glacial maximum: $\delta^{13}C$ vs. Cd, Berlin., Springer-Verlag, in: *The South Atlantic: Present and Past Circulation*, eds. G. Wefer, W. H. Berger, G. Siedler and D. Webb, Berlin., Springer-Verlag, 423-443.
- Boyle, E.A. (1997) Characteristics of the deep ocean carbon system during the past 150, 000 years: SCO_2 distributions, deep water flow patterns, and abrupt climate change, *Proc. Nat. Acad. Sci.*94:8300-8307.
- Boyle E. A. (2000) Is Ocean Thermohaline Circulation Linked to Abrupt Stadial/Interstadial Transitions? *Quat. Sci. Rev.* 19: 255-272
- Broecker, W.S., E. Clark, I. Hajdas, G. Bonani, and D. McCorkle, *Core-top ^{14}C Ages as a Function of Water Depth on the Ontong-Java Plateau*, *Paleoceanography*, **vol. 14**, no. 1, pp. 13-22, February, 1999.
- Broecker, W.S., K. Matsumoto, E. Clark, I. Hajdas, and G. Bonani, *Radiocarbon Age Differences between Coexisting Foraminiferal Species*, *Paleoceanography*, **Vol. 14**, No. 4, pp. 431-436, August, 1999.
- Broecker, W.S. and E. Clark, *$CaCO_3$ Size Distribution: A Paleo Carbonate Ion Proxy*, *Paleoceanography*, **Vol. 14**, No. 5, pp. 596-604, October 1999.

Broecker, W.S., E. Clark, D.C. McCorkle, T.-H. Peng, I. Hajdas, and G. Bonani, *Evidence for a reduction in the carbonate ion content of the deep sea during the course of the Holocene*, *Paleoceanography*, **Vol. 14**, No. 6, p. 744-752, December, 1999.

Cheng, H., J. Adkins, R.L. Edwards, and E.A. Boyle (in press) 230Th dating of deep-sea corals, *Geochimica Cosmochimica Acta*. Clark, P.U., Alley, R.B., Keigwin, L.D., et al., 1996. Origin of the first global meltwater pulse following the last glacial maximum, *Paleoceanography*, v.11, p. 563-577.

CLIMAP Project Members, 1984. The last interglacial ocean, *Quaternary Research*, v. 21, p. 123-224.

Cortijo, E., Lehman, S., Keigwin, L., Chapman, M., Paillard, D., and Labeyrie, L., 1999. Changes in meridional temperature and salinity gradients in the North Atlantic Ocean (30 to 72N) during the last interglacial period. *Paleoceanography*, v. 14, p. 23-33.

Curry, W. B., (1996). Late Quaternary deep circulation in the western equatorial Atlantic. In "The South Atlantic: Present and Past Circulation," edited by G. Wefer and W. Berger, pp. 577-598.

Curry, W. B., and Oppo, D. W., (1997). Synchronous high frequency oscillations in tropical sea surface temperatures and North Atlantic Deep Water production during the last glacial cycle. *Paleoceanography*, v. 12, pp. 1-14.

Curry, W.B., Marchitto, T.M., McManus, J.F., Oppo, D.W., and Laarkamp, K.L., 1999, Millennial-scale changes in ventilation of the thermocline, intermediate, and deep waters of the glacial North Atlantic, in Clark, P.U., Webb, R.S., and Keigwin, L.D., eds., *Mechanisms of Millennial-Scale Global Climate Change: Geophysical Monograph Series: Washington, DC, AGU*, p. 59-76.

Curry, W. B. and G. P. Lohmann, Reconstructing past particle fluxes in the tropical Atlantic Ocean, *Paleoceanography*, 5, 487-506, 1990.

Delaney, M.L. and E.A. Boyle (1983) Uranium and Thorium isotope concentrations in foraminiferal calcite, *Earth Planet. Sci. Lett.*, 62:258-262.

Delaney, M.L., A.W.H. Be, and E.A. Boyle (1985) Li, Sr, Mg, and Na in foraminiferal calcite shells from laboratory culture, sediment traps, and sediment cores, *Geochim Cosmochim. Acta* 49:1327-1341

Delaney, M.L. and E.A. Boyle (1986) Lithium in foraminiferal shells: implications for high-temperature hydrothermal circulation fluxes and oceanic crustal generation rates during the last 116 m.y., *Earth. Planet. Sci. Lett.* 80:91-105.

Graham, D.W., Bender, M.L., Williams, D.F. and Keigwin, L.D., Jr., 1982. Strontium to Calcium Ratio in Cenozoic Planktonic Foraminifera, *Geochim. et Cosmochim. Acta*, v. 46, p. 1281-1292.

Graham, D.W., Corliss, B.H., Bender, M.L. and Keigwin, L.D., Jr., 1981. Carbon and oxygen isotopic disequilibria of recent deep-sea benthic foraminifera, *Marine Micropaleo.*, v. 6, p. 483-497.

Hester, K. and E.A. Boyle (1982) Water chemistry control of the cadmium content of some recent benthic foraminifera, *Nature*, 298:260-262.

- Keigwin, L. D. and Boyle, E. A., 1999. Surface and Deep Ocean variability in the northern Sargasso sea during marine isotope Stage 3. Paleoceanography, v.14, p. 164-170.
- Keigwin, L. D. and Boyle, E. A., 2000. Detecting Holocene changes in thermohaline circulation. Proceedings National Academy of Sciences, v.97, p. 1343-1346.
- Keigwin, L.D. and Boyle, E.A., 1985. Carbon isotopes in deep sea benthic foraminifera: precession and changes in low-latitude biomass. In, Sundquist, E.J. and Broecker, W.S., eds., The Carbon Cycle and Atmospheric CO₂: Natural variations Archean to Present. Geophysical Monograph Series 32, p. 319-328.
- Keigwin, L.D. and Boyle, E.A., 1989. Late Quaternary paleochemistry of high-latitude surface waters, Palaeo., Palaeo., v. 73, p. 85-106.
- Keigwin, L.D. and Jones, G.A., 1989. Glacial-Holocene stratigraphy and chronology and paleoceanographic observations on some North Atlantic sediments drifts, Deep-Sea Research, v. 36, p. 845-867.
- Keigwin, L.D. and Jones, G.A., 1994. Western North Atlantic evidence for millennial-scale changes in ocean and climate. Jour. Geophys. Res., v.99, p. 12397-12410.
- Keigwin, L.D. and Lehman, S.J., 1994. Deep circulation change linked to Heinrich event 1 and Younger Dryas in a middepth North Atlantic core, Paleoceanography, v. 9, p.185-194.
- Keigwin, L.D. and Pickart, R.S., 1999. The slope water current over the Laurentian Fan on interannual to millennial timescales, Science, v.286, p. 520-523.
- Keigwin, L.D., 1996. The Little Ice Age and Medieval Warm Period in the Sargasso Sea. Science, v.274, p. 1504-1508.
- Keigwin, L.D., 1998. Glacial-age hydrography of the far Northwest Pacific Ocean. Paleoceanography, v.13, p. 323-339.
- Keigwin, L.D., Corliss, B.H., Druffel, E.M. and Laine, E.P., 1984. High resolution isotope study of the latest deglaciation based on Bermuda Rise cores, Quaternary Research, v. 22, p. 383-386.
- Keigwin, L.D., Curry, W.B., Lehman, S.J. and Johnsen, S., 1994. The role of the deep ocean in North Atlantic climate change between 70 and 130 kyr ago, Nature, v.371, p.323-326.
- Keigwin, L.D., Jones, G.A., Lehman, S.J., and Boyle, E.A., 1991. Deglacial Meltwater Discharge, North Atlantic Deep Circulation and Abrupt Climate Change, J. of Geophys. Res. v. 96, 16811-16826.
- Lea, D. and E.A. Boyle (1989) Barium content of benthic foraminifera controlled by bottom water composition, Nature 338:751-753.
- Lea, D.W., and E.A. Boyle (1990) 200,000 year record of Barium in the deep western North Atlantic, Nature 347:269-272.
- Lea, D.W. and E.A. Boyle (1990) Foraminiferal reconstruction of barium distributions in water masses of the glacial oceans, Paleoceanogr. 5: 719-742.
- Lea, D.W., and E.A. Boyle (1993) Barium determination in foraminifera and corals by isotope dilution plasma mass spectrometry, Chem.Geol.103:73-84.
- Lea, D.W., and E.A. Boyle (1991) Barium in planktonic foraminifera and corals, Geochim. Cosmochim. Acta 55:3321-3333.

- Lohmann, G. P., A model for variation in the chemistry of planktonic foraminifera due to secondary calcification and selective dissolution, *Paleoceanography*, 10, 445-457, 1995.
- Lohmann, G. P., Increased seasonal upwelling in the subtropical Atlantic Ocean during the Late Pleistocene evidence from deep-living planktic foraminifera, *Marine Micropaleontology*, 19, 1-12, 1992.
- Lohmann, G. P. and P. N. Schweitzer, *Globorotalia truncatulinoides*' growth and chemistry as probes of the past thermocline: 1. shell growth, *Paleoceanography*, 5, 55-75, 1990.
- Lohmann, G. P. and P. N. Schweitzer, On eigenshape analysis, in Rohlf, F. J. and F. L. Bookstein (eds.), *Proceedings of the Michigan Morphometrics Workshop*, Univ. Michigan Museum of Zoology Special Publ. 2, 147-166, 1990.
- Loubere, P., and Fariduddin, M., 1999, Quantitative estimation of global patterns of surface ocean biological productivity and its seasonal variation on time scales from centuries to millenia, *Global Biogeochemical Cycles*, v. 13, p. 115-133.
- Loubere, P., 1999, A multiproxy reconstruction of biological productivity and oceanography in the eastern equatorial Pacific for the past 30,000 years, *Marine Micropaleontology*, v. 37, p. 173-198.
- Loubere, P., and Fariduddin, M., 1999, Benthic Foraminifera and flux of organic carbon to the seabed, Chapter 11, in: (Sen Gupta, B., ed.), *Modern Foraminifera*, p. 181-200., Kluwer Press.
- Lund, S.P. and Keigwin, L.D., 1994. Measurement of the degree of smoothing in sediment paleomagnetic records: an example from late Quaternary deep-sea sediments of the Bermuda Rise, western North Atlantic Ocean. *Earth Planet Sci. Lett.* v.122, p.317-330.
- Lynch-Stieglitz, J., Curry, W. B., and Slowey, N., (1999). A geostrophic transport estimate for the Florida Current from the oxygen isotope composition of benthic foraminifera. *Paleoceanography*, v. 14, pp. 360-373
- Lynch-Stieglitz, J., Curry, W. B., and Slowey, N. C., (1999). Geostrophic transport through the Florida Straits during the last glacial maximum. *Nature*, v. 402, pp. 644-648.
- Lynch-Stieglitz, J., Curry, W. B., Slowey, N. C., and Schmidt, G., (1999). The overturning circulation of the glacial Atlantic: A view from the top. Conference Volume of the 6th International Conference on Paleoceanography.
- Marchitto, T. M., Curry, W. B., and Oppo, D. W., 2000. Zinc concentrations in benthic foraminifera reflect seawater chemistry. *Paleoceanography*, 15: 299-306.
- Marchitto, T. M., Curry, W. B., and Oppo, D. W., 1998. Millennial-scale changes in North Atlantic circulation since the last glaciation. *Nature*, 393: 557-561.
- McCorkle, D.C., and Keigwin, L.D., 1994. Depth profiles of ^{13}C in bottom water and core-top *C. wuellerstorfi* on the Ontong-Java Plateau and Emperor Seamounts, *Paleoceanography*, v.9, p.197-208.
- McCorkle, D.C., Keigwin, L.D., Corliss, B.H. and Emerson, S.R., 1990. The influence of microhabitats on the carbon isotopic composition of deep-sea benthic foraminifera, *Paleoceanography*, v. 5, pp. 161-185.

- McManus, J.F., Oppo, D.W., Keigwin, L.D., and Cullen, J.L., submitted, Thermohaline Circulation and the Duration of Peak Interglacial Climate in the Circum-North Atlantic Region: Global and Planetary Change.
- Oppo, D. W., and M. Horowitz, Glacial deepwater hydrography: South Atlantic benthic foraminiferal Cd/Ca and $\delta^{13}\text{C}$ evidence, *Paleoceanography*, 15, 147-160, 2000.
- Oppo, D. W., M. Horowitz, S.J. Lehman, Marine core evidence for reduced deep water production during Termination II followed by a relatively stable substage 5e (Eemian), *Paleoceanography*, 12, 51-63, 1997.
- Oppo, D.W., Keigwin, L.D., McManus, J.F., and Cullen, J.L., submitted, Evidence for millennial scale variability during marine isotope stage 5 and Termination II: *Paleoceanography*.
- Pride, C., Thunell, R. Sigman, D., Keigwin, L., Altabet, M., and Tappa, E., 1999. Changes in North Pacific Intermediate Water ventilation since the last glacial maximum: Nitrogen isotopic evidence from the Gulf of California. *Paleoceanography*, v. 14, p. 397-409.
- Rosenthal, Y. and E. Boyle (1993) Factors controlling the fluoride content of planktonic foraminifera: an evaluation of its paleoceanographic applicability, *Geochim. Cosmochim. Acta.*57:335-346.
- Rosenthal, Y., E.A. Boyle, N. Slowey (1997) Temperature control on the incorporation of Mg, Sr, F and Cd into benthic foraminiferal shells from Little Bahama Bank: prospects for thermocline paleoceanography, *Geochim. Cosmochim. Acta.* 61:3633-3643.
- Rosenthal, Y., G. P. Lohmann, K. C Lohmann, R. M. Sherrell, Incorporation and preservation of Mg in Globigerinoides sacculifer : Implications for reconstructing the temperature and $18\text{O}/16\text{O}$ of seawater, *Paleoceanography*, 15, 135-145, 2000.
- Schweitzer, P. N. and G. P. Lohmann, Ontogeny and habitat of modern menardiiform planktonic foraminifera, *Journal of Foraminiferal Research*, 21 , 332-346, 1991.
- Shen, G.T., E.A. Boyle, and D.W. Lea (1987) Cadmium in corals: chronicles of historical upwelling and industrial fallout, *Nature* 328:794-796.
- Sikes, E.L. and Keigwin, L.D., 1996. A reexamination of northeast Atlantic sea surface temperature and salinity over the last 16 kyr, *Paleoceanography*, v. 11, p. 327-342.
- Sikes, E.L., Farrington, J.W. and Keigwin, L.D., 1991. Use of alkenone unsaturation ratio Uk-37 to determine past sea surface temperatures: core-top SST correlations and methodology considerations, *Earth and Planet. Sci. Lett.*, v. 104, p. 36-47.
- Ternois, Y., Kawamura, K., Keigwin, L., and Ohkouchi, N., Alkenone sea surface temperature in the Okhotsk Sea for the last 15 kyr. *Geochemical Journal*, in press.
- Ternois, Y., Kawamura, K., Keigwin, L., Ohkouchi, N., and Nakatsuki, T., A biomarker approach for assessing marine and terrigenous inputs to the Okhotsk Sea sediments for the last 26,000 years. *Geochimica et Cosmochimica Acta*, in press.

