

Lawrence M. Mayer  
School of Marine Sciences, University of Maine  
Darling Marine Center, Walpole, Maine 04573  
(207) 563 3146 ext. 237, Fax (207) 563 3119  
Email: LMayer@Maine.edu

Formal Education:

B.S., Geology, Case Western Reserve University, 1971  
A.M., Geology, Dartmouth College, 1974  
Ph.D., Geology, Dartmouth College, 1976

Present Position:

Professor, Oceanography, University of Maine, 1988-present

Editorial Boards:

Marine Environmental Research; Aquatic Microbial Ecology; Marine Geology; Geochemical Transactions

Articles (full list at [www.umaine.edu/marine/people/directory.php/profile/lawrence\\_mayer/](http://www.umaine.edu/marine/people/directory.php/profile/lawrence_mayer/))

- Mayer, L.M. and S. Gloss. 1980. Buffering of silica and phosphate in a turbid river. *Limnology and Oceanography* 25:12-22.
- Gloss, S., L.M. Mayer, and D.E. Kidd. 1980. Advective control of nutrient dynamics in the epilimnion of a large reservoir. *Limnology and Oceanography* 25:219-228.
- Mayer, L.M. 1982. Retention of riverine iron in estuaries. *Geochimica et Cosmochimica Acta* 46:1003-1009.
- Incze, L.S., L.M. Mayer, E.B. Sherr, and S.A. Macko. 1982. Carbon inputs to bivalve mollusks: A comparison of two estuaries. *Canadian Journal of Fisheries and Aquatic Sciences* 39:1348-1352.
- DeFlaun, M.F. and L.M. Mayer. 1983. Relationships between bacteria and grain surfaces in intertidal sediments. *Limnology and Oceanography* 28:873-881.
- Carlson, D.J. and L.M. Mayer. 1983. Relative influences of riverine and macroalgal phenolic materials on UV absorbance in temperate coastal waters. *Canadian Journal of Fisheries and Aquatic Sciences* 40:1258-1263.
- Anderson, F.E. and L.M. Mayer. 1984. Seasonal and spatial variability of particulate matter of a muddy intertidal flood front. *Sedimentology* 31:383-394.
- Mayer, L., S. Macko, and L. Cammen. 1988. Provenance, concentrations, and nature of sedimentary organic nitrogen in the Gulf of Maine. *Marine Chemistry* 25:291-304.
- Carey, D.A. and L.M. Mayer, 1990. Nutrient uptake by a deposit-feeding enteropneust: Nitrogenous sources. *Marine Ecology - Progress Series*, 63:79-84.
- Wells, M.L. and L.M. Mayer, 1991. Variations in the availability of iron to phytoplankton in estuarine, coastal and shelf waters. *Marine Chemistry*, 32:195-210.
- Mayer, L.M., D. F. Schick, R. Findlay, and D.L. Rice, 1991. Effects of commercial dragging on sedimentary organic matter. *Marine Environmental Research*, 31:249-261.
- Townsend, D., L.M. Mayer, Q. Dortch, and R. Spinrad, 1992. Vertical structure and biological activity in the bottom nepheloid layer of the Gulf of Maine. *Continental Shelf Research* 12:367-387.
- Findlay, R., Watling, L. and Mayer, L., 1995. Environmental impact of salmon net-pen culture on Maine marine benthic communities: A case study, *Estuaries*, 18:145-179.
- Mayer, L.M., Schick, L.L., Sawyer, T., Plante, C., Jumars, P.A., and Self, R.L., 1995. Bioavailable amino acids in sediments: A biomimetic, kinetics-based approach, *Limnology and Oceanography*, 40:511-520.
- Laursen, A.K., L.M. Mayer, and D.W. Townsend, 1996. The lability of proteinaceous material in estuarine seston and subcellular fractions of phytoplankton, *Marine Ecology - Progress Series*, 136:227-234.
- Mayer, L., Z. Chen, R. Findlay, J. Fang, S. Sampson, L. Self, P. Jumars, C. Quet el, and O. Donard, 1996. Bioavailability of sedimentary contaminants subject to deposit-feeder digestion, *Environmental Science and Technology*, 30:2641-2645.

- Pilskaln, C.H., J.H. Churchill and L.M. Mayer, 1998. Resuspension of sediment by bottom trawling in the Gulf of Maine and potential geochemical consequences, *Journal of Conservation Biology* 12:1223-1229.
- Mayer L. M., R.G. Keil, S.A. Macko, S.B. Joye, K. C. Ruttenberg, and R.C. Aller, 1998. The importance of suspended particulates in riverine delivery of bioavailable nitrogen to coastal zones, *Global Biogeochemical Cycles*, 12:573-579.
- Chen, Z., and L. Mayer, 1999. Sedimentary metal bioavailability determined by the digestive constraints of marine deposit feeders: gut retention time and dissolved amino acids, *Marine Ecology - Progress Series*, 176:139-151.
- Watling, L., R.H. Findlay, L.M. Mayer, and D.F. Schick, 2001. Impact of a scallop drag on a shallow subtidal marine benthic community. *Journal of Sea Research*, 46:309-324.
- Mayer, L.M., D.P. Weston, and M.J. Bock, 2001. Benzo-a-pyrene and zinc solubilization by digestive fluids of benthic invertebrates - a cross-phyletic study. *Environmental Toxicology and Chemistry* 20:1890-1900.
- Wildish, D.J., J.E. Hughes-Clarke, G.W. Pohle, B.T. Hargrave, and L.M. Mayer, 2004. Acoustic detection of organic enrichment in sediments near salmon farms in the Bay of Fundy, Canada. *Marine Ecology-Progress Series* 267:99-105.
- Voparil, I.M. and L.M. Mayer. 2004. Commercially-available chemicals that mimic a deposit-feeder's (*Arenicola marina*) digestive solubilization of lipids, *Environmental Science and Technology*, 38:4334 - 4339.
- Townsend, D.W., A.C. Thomas, L.M. Mayer, M. Thomas, and J.A. Quinlan, 2006. Oceanography of the Northwest Atlantic continental shelf. IN The Sea, Vol. 14A, The Global Coastal Ocean (Robinson, A.R. and Brink, K.H., Eds.), pp. 119-16.
- Weissberger, E., P.A. Jumars, L.M. Mayer and L.L. Schick, 2008, Structure of a northwest Atlantic shelf macrofaunal assemblage with respect to seasonal variation in sediment nutritional quality, *Journal Sea Research*, 60:164-175.
- Mayer, L.M., L.L. Schick, and M.A. Allison, 2008. Input of nutritionally rich organic matter from the Mississippi River to the Louisiana coastal zone, *Estuaries and Coasts*, 1052-1062.